

# V5.7.30 Release Note

## (2023-7-5)

Firmware		
Basic	Firmware Version:	V5.7.30 Build230526
Information		

### **New Features**

1. Support both EMMC and SD card function in the meantime

HIKVI	SION®									Q & 0 av
C Live View	Common Settings	HDD Management Net HDD	Cloud Storage							
	System	HDD Management								
	Network	HDD Managemer	🔓 Formatting	😪 Encrypted Format	🕑 Verification					
o	Video/Audio		Disk No.	Capacity	Free Space	Status	Encryption St Type	Attribute	Formatting Type	Progress
Configuration	Image		2	229.52GB	215.75GB	Normal	Unencrypted Local	R/W	EXT4	
Maintenance and Security	PTZ	Quota								
and Security	Storage	A Max. Picture Capacit	53.75GB							
	Storage Management	Free Size for Pictur								
	Schedule Settings	Max. Record Capacit								
	Event	Free Size for Record								
	Proactive Mode									
		* Percentage of Pictur				%				
		*Percentage of Recor	75			%				
			Save							

2. Support WIFI AP, short-distance hotspot access debugging functions (Not suitable for long connections)



HIKVI.	SION®								
Ē	Common Settings		TCP/IP	DDNS	SNMP	QoS	Wireless Dial	WLAN AP	Data Monitoring
Live View	System	~	1 The Wi-Fi	will be disabled after th	he WLAN hotspot	being enabled.			
VCA	Network	^		Enable	e <b>()</b>				
	Network Settings								
Configuration	Network Service				Normal Mo		nance Mode		
ন	Platform Access			*Network Name	e Hik-AB591138	32			
Aintenance and Security	Video/Audio			Security Mode	WPA2-person	al			~
	Image			Encryption Type	e AES				~
	PTZ			*Password	d				
	Storage	~		*Password Confirm	n				
	Event	~		Connected Device	e 🗘 Refresh				
	Proactive Mode				No.	IP Address		MAC Address	Connect Time
	Produive mode				Save			No connected device	:e.

- 3. Support EZVIZ online update
- 4. Added Web5.0 UI

#### **Modified Features**

- 1. Added the anti-downgrade function
- 2. Support maintenance information optimization
- 3. Fixed known sleep mode wake abnormal issue

#### **Customer Impact and Recommended Action**

This update refers to function/compatibility improvement and will take effect automatically after

the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action.

For any questions and request for this firmware, please contact our local technical support team.



#### Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd. No. 555 Qianmo Road, Binjiang District, Hangzhou 310051, China Tel: +86-571-8807-5998 FAX: +86-571-8993-5635 Email: overseabusiness@hikvision.com

Supported Product List				
Firmware	Model Number			
	DS-2DE5425IWG-4G(O-STD)(US)			
	DS-2DE5425IWG-4G(O-STD)			
	DS-2DE5425IWG-K/4G(O-STD)(LA)			
	DS-2DE5425IWG-K/4G(O-NEU)(US)			
IPDE FB	DS-2DE5425IWG-K/4G(O-STD)(US)			
	DS-2DE5425IWG-K/4G(O-STD)			
	DS-2DE5425IWG-4G(O-STD)(JP)			
	DS-2DE5425IWG-4G(O-STD)(LA)			
	DS-2DE5425IWG-4G(O-NEU)(US)			
	DS-2DE5425IWG-K/4G(O-STD)(JP)			