

·Network Video Recorder

Version: V4.30.055 build 201111

Release Note

Firmware Basic Information	Firmware Version:	4.30.055build201111
	SDK Version:	
	Play Library:	
	Web component:	
	OpenSDK Version:	

Reason of Upgrade

Add new features and optimize product performance.


New features

1. 【Support add to Hik-Pro Connect】

The Device can be added to Hik-Pro Connect, and functions such as preview, playback, upgrade, alarm subscription, and transparent transmission of pictures can be performed on Hik-Pro Connect.

2. 【Support Enhanced SVC Mode】

Added Enhanced SVC Mode, which is enabled by default. It can increase the number of decoding channels after enable.



3. 【Support IPC voice intercom function in Hik-Connect】

Support IPC voice intercom function in Hik-Connect

4. 【Support access to thermal camera】


Added support for access to thermal camera, face capture alarm, face temperature alarm, temperature measurement alarm and fire alarm, as well as alarm transparent transmission functions.

5. 【Support access to sound and light alarm camera】

Added support for access to Sound and Light alarm camera for sound and light alarm parameter configuration and linkage configuration. One-Key do not disturb can be configured in Hik-Connect.

6. 【Support Local two split screen mode】

Added Local GUI split screen mode: 1+1



Related product list:

K series NVR	DS-76xxNI-K2 DS-76xxNI-K2/xP DS-77xxNI-K4 DS-77xxNI-K4/xP
--------------	--

Customer Impact and Recommended Action

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

Note:

- Hikvision has all rights to alter, modify and cancel this notice.
- Hikvision doesn't give any guarantee for old models' stock.
- Hikvision is not liable for any typing or printing errors.
- For special model's change details, please contact our local technical support team.