

How to batch register indoor station to door station

Title:	How to batch register indoor station to door station	Version:	v1.0	Date:	2020/11/24
Product:	Video Intercom			Page:	1 of 3

Preparation

1. This guide takes		
Туре	Model	Version
Indoor station	DS-KH8520-WTE1	V2.1.10_200713
Indoor station	DS-KH8350-WTE1	V2.1.10_200713
Door station	DS-KV8413-WME1(B)	V2.2.3_200805

As examples to introduce batch register indoor station to door station.

2. Software: iVMS-4200 Version 3.4.0.9

How to batch register indoor station to door station

1. Add Devices on iVMS-4200

1) Search for online devices and add the door station on iVMS-4200, enter username and password, and then confirm that the device is online.

0 7/MS-4200												0	Not Log., 🤅	🖾 admin	• 1 B - D	×
T Maintenance and	Managen	ment O														
=	Device															
🖽 Device Management 🔹																
Device		Name 1 Consection	Network Para Device Type	Perial No.		Security Le	Resour	tte U Firm	ware Upgrade Op	eration						
Group					Add											
Livert Configuration																
🗃 Storage Schedule																
🚊 Account Management																
A. Sectors Conferentian																
-							are ale									
TE System Log																
								edd all the che to the group.	anels connected to the device							
								A	ed Carcel							
															e	e.
		IPv4 1 IPv6	Device Model	Finnware Vi	rsion	Security	Port	Enhance	Serial No.		Boot Time	Added	Support	Hik Con	Operation	
		10.96.302	DS-KVIM10-WVMF1	v22.1buid	03985	Artice	8000		DS-KW6431-WM/10120190710	10716654759	2070-10-22 14		N/A		92	
		192.0.0.64	DS-CORESS WTEL	v2230410 a	200711		8000		D5-KHE520 W7E101201812019	V822671270	2020-10-23 09.1			Teaching		
													Adhate	Add	Close	1
🙆 @ 63 4-															\$ CI	*
D IVMS-4200												6 N	iot Leg 🗇	🔄 ulnin -	• I A = bI	×
🗐 📓 Maintenance and	d Manage	ment														
=	Devic															
📖 Device Management 🔺																
		Name () Connection	Network Para Device Type	Serial No.		Security Le		ice U Firm	ware Upgrade 👘 Opi	eation						
Device			10.9.952024000 Door Station	DS KVB413 W	ME1012019											
Group																
Evert Configuration •																
Storage Schedule																
2 Account Management																
System Configuration																
System Log																
															•	
		LINA CLINA	Device Model	Firmstere V	rsion	Security	Port	Ethance	Serial No.		Boot Time	Added	Support	Hik-Con	Operation	
		192,0.0.64	DS KH8520 WTE1	V2.1.10balk	200713		8000		DS-KH8520-W/TE101201812039	W22073270	2020-10-23 11			Enable		
													Acthote	Add	Close	
◎ 0 3 →															x 🗆 /	

Title:	How to batch register indoor station to door station	Version:	v1.0	Date:	2020/11/24
Product:	Video Intercom			Page:	2 of 3

2. Batch register Indoor station to Door station

 When enter the remote configuration of the door station, choose Device Management > Export, Export the channelConfig files to fill in with the device



HIKVISION	Live View	User	Number Settings	Device Management	Configur	Exporting succeeded.	×			👤 admin	() Help	E+Logout
Device List												
+ Add [& Impo	rt 🕒 Export 📋 Delete 🦌	🕽 Synchronize						Status All	Device Type	Indoor Station		V

2) The following page shows the info which is necessary for you to complete, all the instructions are given in to top of the list.

	A The indoor st	B ation list on	C the mage is us	D ed for data im	E Port so all fi	F elds are rec	G G	H ev cell renre	sents an	2	
	example.	action fibt on	the page 15 de	ica for data fi		erus are reg	dired. The gr	cy coll lopic	Serres an		
	Fill in the e	xcel by follow	ing rules belo	w.							
	1. Device Type: Indoor Station										
	2. Serial No. : 9-digit serial No. on the tag of the device										
	3. Indoor Station Admin Password: Valid password range [8-16]. You can use a combination of numbers, lowercase, uppercase										
	and special character for your password with at least two kinds of them contained.										
	4. Registration code:Registration code: For adding the device to the main door station. Valid password range [8-16]. You can										
	use a combination of numbers, lowercase, uppercase and special character for your password with at least two kinds of them										
	contained.										
	5. FIOOT NO. K	ange: 1 to 999									
1	7 IP Address/	IBGE. I CO 9999 ID Mask/Catewa	v: Supporte IE	274							
				Inc	door Station Lis	t					
2	Device Type	Serial No	Admin Password	Regist Password	Floor No	Room No.	IP Address	IP Mack	Gateway	1	
3									,		
4	Indoor Station	226732706	1qaz2wsx	1234567a	1		1 10.9.96.117	255.255.255.0	10.9.96.254		
5	Indoor Station	001570170	10az2wsx	1234567a	1		2 10.9.96.118	255.255.255.0	10.9.96.254		
	This it	m must be filled in	There are the	configurations we ma	ade to the indoor station			2001200120010			
6	accord	ling to the									
-	actual	device's serial numbe	r								

3) When you complete the device info, choose Import > Import File > Browse, upload

the file.

MIKVISION	Live View Use	r Number Settings	Device Management	Configuration					🙎 admin 🛛 🚯 Help	E+Logout
Device List	1									
+ Add 📴 Import	🕒 Export 📋 Delete 💭 Synch	hronize					Status All	Device Type In	door Station	•
□ No.	IP Address	Serial No.	Model	Current Version	Floor No.	Room No.	User Name	Network Status	Operation	
					_					
			impor	t rite		X				
				Innext File _ shares of C and a size		2				
				Importing the files will clear the information of indec	e station.	browse				
				Export Traplate						
					ОК	Cancel				
						-				
				©2020 Hikvision Digital Technol	ogy Co., Ltd. All Rights Re	served.				

Title:	How to batch register indoor station to door station	Version:	v1.0	Date:	2020/11/24
Product:	Video Intercom			Page:	3 of 3

4) When you complete import the device info, you will notice the following situation.

H	IKVI.	SION	Live View User	Number Settings	Device Management	Configuration				L	admin 🕕 Help	E+Logout
	C	Nevice List										
	+ Ad	d 🕻 Import 🖒 Export	📋 Delete 📿 Synchro	nize					Status All	Device Type Ind	oor Station	•
		No.	IP Address	Serial No.	Model	Current Version	Floor No.	Room No.	User Name	Network Status	Operation	
		1	10.9.96.117	226732706			1	1	admin	▲ Offline	ピ 自	
		2	10.9.96.118	Q01570170			1	2	admin	▲ Offline	ピ 自	

5) Make sure the room number which you set before has no conflict with each other, then wait 2 to 8 minutes, the devices will be online.

ŀ	IIKVI.	SION	Live View User	Number Settings	Device Management	Configuration				1	admin 🕕 Help	E Logout
	D	Device List										
	+ Ad	Id 🔀 Import 🕃 Export	📋 Delete 📿 Synchronia	ze					Status All	Device Type Inde	oor Station	×
		No.	IP Address	Serial No.	Model	Current Version	Floor No.	Room No.	User Name	Network Status	Operation	
		1	10.9.96.117	226732706		Δ	1	1	admin	💙 Online	2 🖗 📋	
		2	10.9.96.118	Q01570170		Δ	1	2	admin	🕑 Online	ľ 🖗 📋	

Note: The **registration password** is the password that must be configured for the activated device. When the door station adds an activated indoor station, the registration password of the indoor station must be known. The inactive indoor station can be directly assigned by door station.

