Page 1 of 9

Test Report issued under the responsibility of:



The following sample(s) was/were submitted and identified on behalf of the client as:

TEST REPORT Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)			
Report Reference No	GZES190401537303		
Tested by (name + signature):	Chico La Ca		
Approved by (+ signature):	Chico Li Anlay Cong		
Date of issue	2019-06-28 Amendment-2: 2020-11-30		
Total number of pages	9		
Testing Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch			
Address:	198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China		
Applicant's name	Hangzhou Hikvision Digital Technology Co., Ltd.		
Address	No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China		
Test specification:			
Test procedure:	Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)		
Non-standard test method:	None		
Test Report Form No	EN50155_D		
Test Report Form(s) Originator:	SGS-CSTC		
Master TRF:	2018-2-28		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx.and</u>, for electronic format.documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditins/Terms-and-Conditions/Terms-and-Conditio</u>

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com





Test item description:	Network Camera
Model/Type reference:	DS-2XM6756G0-IS/ND, DS-2XM6756G0-IS/NDUHK,
	DS-2XM6756G0-IS/NDCKV, DS-2XM6756G0-IS/NDUVS ,
	DS-2XM6756G0-IS/NDKVO, DS-2XM6756G0-IS/NDHUN,
	DS-2XM6756G0-IM/ND, DS-2XM6756G0-IM/NDUHK,
	DS-2XM6756G0-IM/NDCKV, DS-2XM6756G0-IM/NDUVS ,
	DS-2XM6756G0-IM/NDKVO, DS-2XM6756G0-IM/NDHUN,
	DS-2XM6736G0-IS/ND, DS-2XM6736G0-IS/NDUHK,
	DS-2XM6736G0-IS/NDCKV, DS-2XM6736G0-IS/NDUVS ,
	DS-2XM6736G0-IS/NDKVO, DS-2XM6736G0-IS/NDHUN,
	DS-2XM6736G0-IM/ND, DS-2XM6736G0-IM/NDUHK,
	DS-2XM6736G0-IM/NDCKV, DS-2XM6736G0-IM/NDUVS ,
	DS-2XM6736G0-IM/NDCKV, DS-2XM6736G0-IM/NDCV3,
	DS-2XM6726G0-IS/ND, DS-2XM6726G0-IS/NDUHK,
	DS-2XM6726G0-IS/NDCKV, DS-2XM6726G0-IS/NDUVS,
	DS-2XM6726G0-IS/NDKVO, DS-2XM6726G0-IS/NDHUN,
	DS-2XM6726G0-IM/ND, DS-2XM6726G0-IM/NDUHK,
	DS-2XM6726G0-IM/NDCKV, DS-2XM6726G0-IM/NDUVS ,
	DS-2XM6726G0-IM/NDKVO, DS-2XM6726G0-IM/NDHUN



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-75) 8307 1443, or email: C. <u>DoccheckBas.com</u>

of email: CN_Doccneexedsas.com (MSI8Ketzin Read) Satelshak, Gaugatu Exonnek Stehnday Development Distrid, Gaugatou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Ratings:	Powered by stabilized PoE (36 – 57 Vd.c.)		
Brand name:	HIKVISION		
Manufacturer	Same as applicant		
Factory:	Hangzhou Hikvision Technology Co., Ltd. No.700, Dongliu Road, Binjiang District, Hangzhou Ctiy, Zhejiang, 310052, China		
	Hangzhou Hikvision Electronics Co., Ltd. No.299, Qiushi Road, Tonglu Economic Development Zone, Tonglu County, Hangzhou, Zhejiang, 310052, China		
	Chongqing Hikvision technology Co., Ltd. No. 118, Haikang Road, Area C, Jianqiao Industrial Park, Dadukou District, Chongqing, 401325, China		
Summary of testing:			
	ered and complied below mandatory tests and requirements ctronic equipment used on rolling stock (EN: 50155:2017).		

Model DS-2XM6756G0-IS/ND was selected for test as representative.

After reviewed, tests of clause 13.4.4 and 13.4.5 are needed to be considered in this report.

ests perform	ned:			Test location:
Selected verdict	Sub- clause	Test name Reference test method standard		Name: SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Address:198 Kezhu Road.
	13.4.4	Low temperature start-up test,	EN 60068-2- 1:2007 (test Ad)	Science City, Economic & Technology Development Area
	13.4.5	Dry heat test	EN 60068-2-2: 2007 (test Be)	Guangzhou, Guangdong, Chir
		Dry heat test	2007 (test Be)	Guangzhou, Guangdong, C
		user and the manufandatory tests according	cturer, and the items ng to standard.	
e report doe	s not cont	tain 13.4.8 EMC test.		

Copy of marking plate

Refer to previous test report





Possible test case verdicts:

- test case does not apply to the test object N (or N/A)
- test object does meet the requirement P (Pass)
- test object does not meet the requirement F (Fail)
Testing
Date of receipt of test item 2020-11-13
Date (s) of performance of tests 2020-11-23 to 2020-11-24
General remarks:
The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory. "(see Enclosure #)" refers to additional information appended to the report. "(see appended table)" refers to a table appended to the report.
Throughout this report a comma is used as the decimal separator.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Advised has information contained hereion refuncts the Company for the Section for the Section of the Section

中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 8215555 f (86-20) 82075058 sgs.china@sgs.com



Function:	Network Camera main function is collecting real-time
	video signals, Power by stabilized PoE then through
	Ethernet port transmission to PC online surveillance
Power Source:	Stabilized Power over Ethernet
Installation:	Used on rolling stock inside railway vehicles,
	body mounted
Construction:	Metal enclosure fixed by screws
Accessories:	No
Altitude	\square A1 (default requirement) ; \square A2 \square A3 \square AX
Operation temperature:	OT1 OT2 OT3 (default requirement)
Switch-on extended operating temperature:	ST0 ST1 (default requirement), ST2, NA
Rapid temperature variation	H1 (default requirement), H2 N/A
Vibration and shock	□category 1 Class A ⊠ category 1 Class B (recommended requirement); □2 (Bogie mounted), □ 3 (Axle mounted)
Interruption voltage supply	S1 S2 (default requirement), S3 N/A
Supply change-over	C1 default requirement, C2 N/A
Documentation	Class M M0 default requirement,

Model differences:

All models are identical except model name, trade name, and or appearance.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document is, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document is, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN_Doccheck@sgs.com

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 8215555 f (86-20) 82075058 sgs.china@sgs.com





Amendment-1:

Test report No. GZES190401537301 dated on 2019-04-29, was modified on 2019-06-28 with following updated and changes:

Adding reference test method standard in "Tests performed" on page 3.

Amendment-2:

Test report No. GZES190401537302 dated on 2019-06-28, was modified on 2020-11-30 with following updated and changes:

1. Added the following models:

DS-2XM6756G0-IS/NDUVS, DS-2XM6756G0-IS/NDKVO, DS-2XM6756G0-IS/NDHUN, DS-2XM6756G0-IM/NDUVS, DS-2XM6756G0-IM/NDKVO, DS-2XM6756G0-IM/NDHUN, DS-2XM6736G0-IS/NDUVS, DS-2XM6736G0-IS/NDKVO, DS-2XM6736G0-IS/NDHUN, DS-2XM6736G0-IM/NDUVS, DS-2XM6736G0-IM/NDKVO, DS-2XM6736G0-IM/NDHUN, DS-2XM6726G0-IS/NDUVS, DS-2XM6726G0-IS/NDKVO, DS-2XM6726G0-IS/NDHUN, DS-2XM6726G0-IM/NDUVS, DS-2XM6726G0-IS/NDKVO, DS-2XM6726G0-IM/NDHUN, DS-2XM6726G0-IM/NDUVS, DS-2XM6726G0-IM/NDKVO, DS-2XM6726G0-IM/NDHUN, DS-2XM6726G0-IM/NDUVS, DS-2XM6726G0-IM/NDKVO, DS-2XM6726G0-IM/NDHUN, DS-2XM6726G0-IM/NDUVS, DS-2XM6726G0-IM/NDKVO, DS-2XM6726G0-IM/NDHUN, DS-2XM6726G0-IM/NDHUN,

2. Changed the Operation temperature from OT2 into OT3.

After reviewed, tests of clause 13.4.4 and 13.4.5 are needed to be considered in this report.

Test report No. GZES190401537303 dated on 2020-11-30 is not valid without the previous test report No. GZES190401537301 dated on 2019-04-29 and GZES190401537302 dated on 2019-06-28.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/lerms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/lerms-and-Conditions/Terms-and-Conditi</u>

中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



CI.	Requi	rement-Tes	st	Result-Remark	Verdict
	.ow temper				Verdiet
		est is carrie	d out in accordance with EN 60068-		Р
		ment is pla chamber.	ced, without any voltage applied, in		Р
	tempe	rature clas	be tested according to its operating s, low operating temperature ken from Table 1.	Class OT3 used according to manufacturer: - 25 °C	Р
	Та	ble 1 — (Operating temperature classes	5	
		Class	Equipment operating temperature range (°C)		
		OT1	-25 to +55		
		OT2	-40 to +55		
		OT3	–25 to +70		
		OT4	-40 to +70		
		OT5	-25 to +85		
		OT6	-40 to +85		
	it, afte sufficie stabiliz	r thermal s ent period o	hall be first conditioned by leaving tabilization of the chamber, for a of time in which to achieve thermal ny case, this period shall not be		Р
	switch keepir recove	ed on and ng the equi	period the equipment shall be a performance check is carried out, pment at the low temperature. After formance check is repeated at aperature.	Performance check was passed under low temperature condition and normal room temperature condition.	Р
	test, th	ne equipme	requirements: during and after the ent shall work as intended and within s (Performance criterion A)	n	
13.4.5 C	Ory heat tes	st			
	This te 2-2, te		d out in accordance with EN 60068-		Р





	Railway	applications - Electronic equip	oment used or	n rolling stock (EN: 50155:2017)	
CI.	Requirement-Test			Result-Remark	Verdict
	the temperature class and the switch-on extended			Class OT3 and ST2 used according to manufacturer: 70 °C, Test cycle C,	P
	Class	Switch-on extended operating temperature (duration: 10 min)	Thermal test cycle See 13.4.5		
	ST0	No switch-on extended operating temperature	Test cycle A		
	ST1	OTx +15 °C	Test cycle B		
	ST2	OTx +15 °C	Test cycle C		
13.4.5.2 - Cycle A	the switched off equipment is placed in a chamber where the temperature is progressively raised to the maximum operating temperature (T_{TEST})			Class ST2	N/A
	this pe equipm 6 h wit	the temperature has stabilised, riod shall not be less than 2 h, t nent is switched on and left for a h continuous operational check perating temperature Ττεsτ	f		
	temper	quipment is then allowed to coo ature and a further performanc er the stabilization time.	d		
	Test acceptance requirements: during and after the test, the equipment shall work as intended and within its specified limits (Performance criterion A)			n	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-75) 8307 1443, or email: C. <u>DoccheckBas.com</u>

Grematic CN December Wasg.com No.88Kebu?Rox3.Sonath/Pac, Campain Exonnels Technology Development District, Guargabou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Page 9 of 9

Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)				
CI.	Requirement-Test	Result-Remark	Verdict	
13.4.5.3- Cycle B	the switched off equipment is placed in a chamber where the temperature is progressively raised to the maximum operating temperature (T_{TEST})	Class ST2	N/A	
	Once the temperature has stabilised, In any case, this period shall not be less than 2 h, then the equipment is switched on and left for a time period of 6 h with continuous operational check carried out at max. operating temperature (T_{TEST}).			
	once this test is complete, a continuous operation check is carried out with the 10 min over- temperature value.			
	The equipment is then allowed to cool to ambient temperature and a further performance test is carried out after the stabilization time.			
	Test acceptance requirements: during and after the test, the equipment shall work as intended and within its specified limits (Performance criterion A)			
cycle C	The switched off equipment is placed in a chamber where the temperature is progressively raised to the extended operating temperature (T_{TEST} +15°C) according to the selected temperature class.	85 °C, 10 min. and 70 °C, 6 h; Performance check was passed under dry heat condition and normal room	Р	
	Once the temperature has stabilised, In any case, this period shall not be less than 2 h, then the equipment is switched on and continuous operation check are carried out at this extended operating temperature value for 10 min.	temperature condition.		
	Equipment is then allowed to cool to the max. operating temperature (T_{TEST}) and continuous operation check last or a time period of 6 h.			
	The equipment is then allowed to cool to ambient temperature and a further performance test is carried out after the stabilization time.			
	Test acceptance requirements: during and after the test, the equipment shall work as intended and within its specified limits (Performance criterion A)			

- - - End of Report - - -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or fasilication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report acertificate, please contact us at telephone: (8e-755) 8307 1443, or email: Ch. Doccheck@as.com

or email: CN_Doccheck@sgs.com Nk18KebuRed&Satehish&(Sa