No: 2018-1743



中国认可 检测 TESTING CNAS L046





**TEST** 

REPORT

Equipment under Test: NETWORK CAMERA

Model Number: DS-2XM6122FWD-IM

Manufacturer: Hangzhou Hikvision Digital Technology Co., Ltd.

National Computer Peripheral Equipment Quality
Supervising Test Center

## National Computer Peripheral Equipment Quality Supervising Test Center

# Test Report

No:2018-1743

	NETWORK OAMEDA	Model type	DS-2XM6122FWD-IM	
Product	NETWORK CAMERA	Trademark	HIKVISION	
Entrusted By	Hangzhou Hikvision Digital Technology Co., Ltd.	Testing Type	Entrustment	
Manufacturer	Hangzhou Hikvision Digital Technology Co., Ltd.	Sample Class		
Sample Origin	Delivered	Delivery Date	2018-10-08	
Sample Number	Two sets	Delivered by	Fu Meixia	
Sample Radix		Manufacture Date		
	IEC 60529: 2013 Degrees	of protection provided	by enclosures(IP Code)	
Test Standards	IEC 62262: 2002 Degrees of protection provided by enclosures for electric			
	equipment against external mechanical impacts(IK code)			
Test Items	1#: IP Code 66 test of prote 2#: IK08 hammer test	ection		
Sec.				
Test Result			/D-IM NETWORK CAMER nology Co., Ltd. complied wit	
Test Result	manufactured by Hangzhou		nology Co., Ltd. complied wit	
Test Result	manufactured by Hangzhou the Test Standard.		nology Co., Ltd. complied wit	
Test Result	manufactured by Hangzhou the Test Standard.	Hikvision Digital Tech	Issue Date: October 12, 201	
Test Result	manufactured by Hangzhou the Test Standard.  DS-2XM6122FWD-IM DS-2XM6112FWD-I	Hikvision Digital Tech	Issue Pate: October 12, 201	

Approved by: And the Checked by: White Chief tester: Kee

Test Site	National Computer Peripheral Equipment Quality Supervising Test Center					
Test Date	2018-1	2018-10-10~10-12				
40	S/N	Description	Model	No.	Cal due	
	1	Water jet hose nozzle	HY-IPX1-6	SB116	2019-04-19	
Main	2	Dust Chamber	SC-500	HJ0083	2019-04-09	
Testing Equipments and Instruments	3	Falling ball impact test machine	LQ-001	HJ0057	2019-02-09	
e e						
Sample Number	1#: 184 2#: 220			,		
7,000		Code 66 test of protection 3 hammer test				
Remark	Ambien Relative	conditions: t temperature: 25°C humidity: 55% heric pressure: 101.2kPa				

	•	з
	•	

Test Items	Technical specifications	
		1#
IP6X	Dust-tight, No ingress of dust.  The test is performed using a dust chamber. The talcum powder used shall be able to pass through a square-meshed sieve the nominal wire diameter of which is 50 µm and the nominal width of a gap between wires 75 µm. The amount of talcum powder to be used is 2 kg per cubic metre of the test chamber volume.  Duration of test: 8 hours.  After the test, the inside of EUT should be no dust.	Pass
IPX6	Test for second characteristic numeral 6 with the 12.5 mm nozzle  - Delivery rate: 100 l/min ± 5 %;  - water pressure: to be adjusted to achieve the specified delivery rate;  - Distance from nozzle to enclosure surface: between 2.5 m and 3 m.  -Test duration: 3 minutes;  After the test, the inside of EUT should be no water.	Pass
Remark	Test pictures please refer to the following page.	

Tester: Shen Jianjun Wang Jue

Test Items	Tabbaical acceifications	
rest items	Technical specifications	2#
	Impact hammer weight : 1.7kg(Equivalent to 5J impact energy)	
'a —	Test height: 300mm	
IK08 hammer test	Number of tests: 3	Pass
lest	Test mode: free fall	
9.	Test position: the protective cover for lens	
	After the test, there is no damage on the structure.	
19 8 1		
ie-		
Remark	Test pictures please refer to the following page.	

Tester: Shen Jianjun Wang Jue





### **EUT** picture




Before the test



During the test (IP6X)




Before the test



During the test (IPX6)

#### **EUT** picture







During the test (IK08)

After the test

The lens is intact

## 红外网络摄像机

型号: DS-2XM6122FWD-IM 4mm

电源: ·12V === 5W MAX / PoE(802.3af)



序列号: 184921461 生产日期: 02/2018 V5.5.0 170914



HIKVISION

Model: DS-2XM6122FWD-IM 4mm

I/P: 12V== 0.4A,5W

PoE(802.3af,37-57V)== 0.1A

SN.: 220826480

SV: V5.5.53\_180719

MAC: 58:03:FB:61:8A:BE CAN ICES-3 (A)/NMB-3(A)

08/2018 Made in China

#### **NOTES**

- 1. Reports with no signet of "test report" or that of the inspect institute are all invalid.
- 2. Partial copy of this report is forbidden. Entire copy of the report without signet is invalid.
- 3. Report with no approval are invalid.
- 4. Altered report is invalid.
- 5. If any disagreement on this report, a written claim is requested to be submit to the institute within 15days on receipt of the report.
- 6. Generally, authorized inspection is only responsible for the samples inspected.



Address: 316#, Jiang Hong South Road, Hangzhou, China

Tel: +86 571 88278723 +86 571 88828284

Fax: +86 571 88366821

P.O.Box: 1215#, Hangzhou, China

Zip Code: 310052 E-mail: wangwx@ksign.cn WEB: www. ksign.cn

