

No: 2018-1339



中国认可
检测
TESTING
CNAS L0461



(2015)国认监认字(182)号 2015001000Z

TEST REPORT

Equipment under Test: NETWORK CAMERA

Model Number: DS-2XM6522WD-IM

Manufacturer: Hangzhou Hikvision Digital Technology Co., Ltd.

National Computer Peripheral Equipment Quality
Supervising Test Center






仅限HIKVISION使用，其他项目无效

National Computer Peripheral Equipment Quality Supervising Test Center

Test Report

No:2018-1339

Product	NETWORK CAMERA	Model type	DS-2XM6522WD-IM
		Trademark	HIKVISION
Entrusted By	Hangzhou Hikvision Digital Technology Co., Ltd.	Testing Type	Entrustment
Manufacturer	Hangzhou Hikvision Digital Technology Co., Ltd.	Sample Class	—
Sample Origin	Delivered	Delivery Date	2018-05-14
Sample Number	One set	Delivered by	Fu Meixia
Sample Radix	—	Manufacture Date	—
Test Standards	IEC 62262: 2002 Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts(IK code) IEC 60068-2-75: 2014 Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests		
Test Items	1#: Hammer test (IK10); Hammer Test (50J)		
Test Result	This test proved that the DS-2XM6522WD-IM NETWORK CAMERA manufactured by Hangzhou Hikvision Digital Technology Co., Ltd. complied with the Test Standard. Issue Date: May 24, 2018		
Remark	DS-2XM6522WD-IM	DS-2XM6522WD-I	DS-2XM6512WD-IM
	DS-2XM6512WD-I	DS-2XM65XYZUV-ABCDEF	
	Above models use the same structure and material, the IK level exactly the same, the only differences is the Internal movement and software configuration.		

Approved by:  Checked by:  Chief tester: 

Test Site	National Computer Peripheral Equipment Quality Supervising Test Center				
Test Date	2018-05-16~05-23				
Main Testing Equipments and Instruments	S/N	Description	Model	No.	Cal due
	1	Falling ball impact test machine	LQ—001	HJ0057	2019-02-09
Sample Number	1#: 211815171				
Distribution Of Sample	1#: Hammer test (IK10)、Hammer Test (50J)				
Remark	Climatic conditions: Ambient temperature: 23°C Relative humidity: 55% Atmospheric pressure: 102kPa				

Test Items	Technical specifications	Result
		1#
1、Hammer test (IK10)	<p>Impact hammer weight : 5kg(Equivalent to 20J impact energy)</p> <p>Test height: 400mm</p> <p>Number of tests : 3</p> <p>Test mode: free fall</p> <p>Test position: camera housing</p> <p>After the test, there is no damage on the structure.</p>	Pass
2、Hammer Test (50J)	<p>Impact hammer weight : 10kg(Equivalent to 50J impact energy)</p> <p>Test height: 500mm</p> <p>Number of tests : 3</p> <p>Test mode: free fall</p> <p>Test position: camera housing</p> <p>After the test, there is no damage on the structure.</p>	Pass
Remark	Test pictures please refer to the following page.	

Tester: Jin Zhenxi / Wang Jue


EUT picture



Before the test



During the test (IK10)



After the test



During the test (50J)



After the test



The camera housing is intact

海康威视 红外网络摄像机

型号: DS-2XM6522WD-I 6mm
 电源: 12V 8.5W MAX / PoE(802.3af)



序列号: 211815171

生产日期: 04/2018




V5.5.0_170914
 产品执行标准: Q/BFW 006-2015
 杭州海康威视数字技术股份有限公司

NOTES

1. Reports with no signet of "test report" or that of the inspect institute are all invalid.
2. Partial copy of this report is forbidden. Entire copy of the report without signet is invalid.
3. Report with no approval are invalid.
4. Altered report is invalid.
5. If any disagreement on this report, a written claim is requested to be submit to the institute within 15days on receipt of the report.
6. Generally, authorized inspection is only responsible for the samples inspected.

Address: 316#, Jiang Hong South Road, Hangzhou, China

Tel: +86 571 88278723 +86 571 88828284

Fax: +86 571 88366821

P. O. Box: 1215#, Hangzhou, China

Zip Code: 310052

E-mail: wangwx@ksign.cn

WEB: www.ksign.cn

