

## DS-MP1351 Mobile Intercom



### Features and Functions


- Half-duplex mode.
- Powered by the connected mobile DVR.
- Low impedance, low power consumption and long transmission distance.
- Aviation plug to guarantee the stability on vehicles.
- Easy operation by pressing and holding the PTT for audio input and releasing it for audio output.
- Connectable with 4-section headset. After the external headset is connected, you can realize two-way audio with the headset directly.
- Installation and fixation with hook on the back of the intercom.
- Two-way audio with high sound quality and low noise interference.



## Specifications

Model		DS-MP1351
<b>Two-way audio parameters</b>	Mode	Half-duplex Control via the PTT button
	Sensitivity	-36 ± 3 DB, 1000 Hz
	Impedance	2.2 KΩ
	Frequency range	100 to 20000 Hz
	Extension	Jack for 4-section headset
<b>General</b>	Working voltage	12 VDC (powered by mobile DVR)
	Working temperature	-20° C to +70° C (-4° F to +158° F)
<b>Others</b>	Cables	2-meter attached cable An extended cable (optional)
	Mounting type	Mounted with a hook on the back

## Physical Interfaces



No.	Name	Description
1	Attached cable	2-meter attached spring cable after extended with a 4-pin female aviation plug on the other side for connecting to the mobile DVR via the adapter cable.
2	Headset jack	For connecting to the external 4-section headset.
3	Mic	For audio input.
4	Amplifier	For audio output.
5	PTT	For controlling audio input/output.
6	Hook	Installation bracket for fixing the mobile intercom.

Distributed by

## Available Model

DS-MP1351

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
saleseuro@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-444  
info.fr@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision UK**  
T +44-1628-9021-4  
support.uk@hikvision.com