




AE-VC112T-ITS IR Dome Mobile Camera

Key Features

- Adopts 1.0 mega progressive scan CMOS
- Adopts coaxial HD, resolution up to 720p
- Supports low illumination, 0.1 lux @ (F1.2, AGC ON), 0 lux with IR
- Supports auto day & night switch
- Adopts wide-angle lens
- Adopts electronic shutter to adapt to different environment
- Supports auto gain control, self-adaption to light
- Equipped with built-in MIC



Dimensions



Unit: mm



Specifications

Model	AE-VC112T-ITS
Camera	
Image sensor	1.0 Mega Progressive Scan CMOS
Min. illumination	0.1 Lux @ (F1.2, AGC ON) , 0 Lux with IR
Shutter time	1/25 s to 1/50,000 s
Lens	2.1 mm
Lens mount	M 12
Angle adjustment	Pan: -35° to 35°; Tilt: 0° to 90°; Roll: 0° to 360°
Day & Night	Electronic
Horizontal definition	950 TVL
Synchronization	Internal
S/N ratio	> 62 dB
Interfaces	
Video output	1 Vp-p Composite Output
Video Cable	Aviation Plug of 3.5 mm, 30 cm
Audio Input	Built-in MIC
Audio Output	1-ch, Aviation Plug of 3.5 mm (Linear Level, Impedance: 1 kΩ)
General	
Working temperature	-30 °C to 65 ° C (-22 °F to 149 °F)
Working humidity	90%
Power supply	6 VDC to 16 VDC
Power consumption	Max. 2.5 W
IR range	3 m
Protection level	IP 50
Dimension (L x W x H)	76.1 mm x 75 mm x 40.6 mm (2.28" x 2.95" x 1.60")
Weight	200 g (0.44lb)

Available Model

AE-VC112T-ITS

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com