

**Report No.:** 0180107257b 001 Page 1 of 14

**Client:** HANGZHOU HIKVISION DIGITAL TECHNOLOGY CO., LTD.  
No.555 Qianmo Road, Binjiang District Hangzhou310052, China

**Identification/ Model No(s):** Network Camera  
DS-2XM6365G0-IVS  
Reference Style No.(s): Refer to page 02

**Sample Receiving date:** 2019-05-15

**Testing Period:** 2019-05-17 to 2019-05-27

**Delivery condition:** Apparent good, Samples tested as received

**Test Specification:** **Test result:**


Customer's requirement:

1. Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 ,(EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles (Guidance on requirements for substances in articles, June 2017) Please refer to result page

**Other information:**

Test Location: TÜV Rheinland (Shanghai) Co., Ltd.  
TÜV Building I, No.177, Lane 777, West Guangzhong Road Jing'an District, Shanghai, China

For and on behalf of  
TÜV Rheinland/CCIC (Ningbo) Co., Ltd.



2019-05-29

Date

Xie Xianqiang / Department Manager

Name/Position

Test result is drawn according to the kind and extent of tests performed.

This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

<b>Test Report No.: 0180107257b 001</b>	Page 2 of 14
---	--------------

Reference Style No.(s):

DS-2XM63C5G0-IVS,DS-2XM63C5G0-IVSUHK,DS-2XM63C5G0-IVSCKV,DS-2XM63C5G0-IVSUVS,DS-2XM63C5G0-IVSKVO,DS-2XM63C5G0-IVSHUN,DS-2XM63C5G0-IV,DS-2XM63C5G0-IVUHK,DS-2XM63C5G0-IVCKV,DS-2XM63C5G0-IVUVS,DS-2XM63C5G0-IVKVO,DS-2XM63C5G0-IVHUN,DS-2XM63C5G0-IVM,DS-2XM63C5G0-IVMUHK,DS-2XM63C5G0-IVMCKV,DS-2XM63C5G0-IVMUVS,DS-2XM63C5G0-IVMKVO,DS-2XM63C5G0-IVMHUN,DS-2XM63C5G0-IVM/ND,DS-2XM63C5G0-IVM/NDUHK,DS-2XM63C5G0-IVM/NDCKV,DS-2XM63C5G0-IVM/NDUVS,DS-2XM63C5G0-IVM/NDKVO,DS-2XM63C5G0-IVM/NDHUN, DS-2XM6365G0-IVSUHK,DS-2XM6365G0-IVSCKV,DS-2XM6365G0-IVSUVS,DS-2XM6365G0-IVSKVO,DS-2XM6365G0-IVSHUN,DS-2XM6365G0-IV,DS-2XM6365G0-IVUHK,DS-2XM6365G0-IVCKV,DS-2XM6365G0-IVUVS,DS-2XM6365G0-IVKVO,DS-2XM6365G0-IVHUN,DS-2XM6365G0-IVM,DS-2XM6365G0-IVMUHK,DS-2XM6365G0-IVMCKV,DS-2XM6365G0-IVMUVS,DS-2XM6365G0-IVMKVO,DS-2XM6365G0-IVMHUN,DS-2XM6365G0-IVM/ND,DS-2XM6365G0-IVM/NDUHK,DS-2XM6365G0-IVM/NDCKV,DS-2XM6365G0-IVM/NDUVS,DS-2XM6365G0-IVM/NDKVO,DS-2XM6365G0-IVM/NDHUN

**Test Report No.: 0180107257b 001**

Page 3 of 14

**Material List:**

Item: Network Camera  
 DS-2XM6365G0-IVS  
 Reference Style No.(s): Refer to page 02

Material No.	Material	Color	Location
M001	Metal	silver/white	refer to photo
M002	Metal	silver	refer to photo
M003	Metal	silver	refer to photo
M004	Wire (with core)	red	refer to photo
M005	Wire (with core)	black	refer to photo
M006	Glue	black	refer to photo
M007	Plastic	transparent	refer to photo
M008	Plastic	black	refer to photo
M009	Plastic	transparent	refer to photo
M010	Metal	black	refer to photo
M011	Metal	silver	refer to photo
M012	Metal	silver	refer to photo
M013	Plastic	black	refer to photo
M014	Plastic	black	refer to photo
M015	Metal	silver	refer to photo
M016	Wire (with core)	red	refer to photo
M017	Wire (with core)	black	refer to photo
M018	Plastic	brown	refer to photo
M019	Powder	white	refer to photo
M020	Plastic	white	refer to photo
M021	Metal	golden	refer to photo
M022	Metal	black	refer to photo
M023	Metal	black	refer to photo
M024	Metal	black	refer to photo
M025	PCB board	green	refer to photo
M026	PCB board	green	refer to photo
M027	Glue	pink	refer to photo

**Test Report No.: 0180107257b 001**

Page 4 of 14

M028	Glue	white	refer to photo
M029	Glue	brown	refer to photo
M030	Glue	gray	refer to photo
M031	Glue	white	refer to photo
M032	Metal	white	refer to photo
M033	Plastic	white	refer to photo
M034	Plastic	white	refer to photo
M035	Plastic	white	refer to photo
M036	Plastic	white	refer to photo
M037	Plastic	white	refer to photo
M038	Plastic	green	refer to photo
M039	Wire (with core)	black	refer to photo
M040	Wire (with core)	red	refer to photo
M041	Wire (with core)	purple	refer to photo
M042	Wire (with core)	black	refer to photo
M043	Wire (with core)	brown	refer to photo
M044	Wire (with core)	orange	refer to photo
M045	Wire (with core)	orange	refer to photo
M046	Wire (with core)	yellow	refer to photo
M047	Wire (with core)	green	refer to photo
M048	Wire (with core)	blue	refer to photo
M049	Wire (with core)	gray	refer to photo
M050	Wire (with core)	purple	refer to photo
M051	Wire (with core)	brown	refer to photo
M052	Wire (with core)	white	refer to photo
M053	Plastic	brown/black	refer to photo

1. **Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles.**

**Screening of substances classified as Carcinogenic, Mutagenic or toxic to Reproduction (CMR) categories 1A &1B, and substances other than authorisation & candidate list.**

#### Product Classification

With reference to Corrigendum to Regulation (EC) no.1907/2006 and ECHA, this product is classified as:

- Article  
 Article with an integral substance/ mixture  
 Combinations of an article (functioning as a container or a carrier material) and a substance/ mixture  
 Substance/ mixture

#### Conclusion:

Conclusion			
Product Location	Acc. to authorisation list (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by ECHA, and the EU Court of Justice rules on SVHCs in articles, the detected SVHC concentration in components level is	Obligation of Importer (*) (For article)	Detected Substance (if any)
DS-2XM6365G0-IVS	<0.1%	Not necessary	No SVHCs more than 0.1% in Article

(For article)

(\*) To communicate information down the supply chain according to article. 33 of REACH. **OR**

- Notification to ECHA, if the quantities of SVHC in the produced/imported articles are above 1 ton in total per year per company.
- Provide sufficient information to ensure safe use of the article and, as a minimum, include the name of the substance, to their customers and on request to consumers within 45 days of the receipt of this request.

#### Test Results

**Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles.**

- Test Method:
- Test portion is digested with acid and assisted with microwave, the elements are analysed by ICP-OES.
  - Test portion is extracted by organic solvent, semi-quantitative analysis by GC-MS / UV-Vis.
  - Test portion is extracted by organic solvent, the extraction solution is analyzed by Headspace-GC/MS / LC-DAD-MS / LC-MS/MS.

**Test Report No.: 0180107257b 001**

Page 6 of 14

Test No.:	T001	T002	T003
Material No.:	M001 + M002 + M003 + M010 + M011 + M012	M015 + M021 + M022 + M023 + M024 + M032	M006 + M027 + M028 + M029 + M030 + M031 + M004 + M005 + M019
Result (%)	n.d.	n.d.	n.d.
Test No.:	T004	T005	T006
Material No.:	M013 + M014 + M020 + M034 + M035 + M033	M007 + M008 + M009 + M018 + M036 + M037 + M038 + M053 + M025 + M026	M016 + M017 + M039 + M040 + M041 + M042 + M043 + M044
Result (%)	D6=0.01%	n.d.	n.d.
Test No.:	T007		
Material No.:	M045 + M046 + M047 + M048 + M049 + M050 + M051 + M052		
Result (%)	n.d.		

Abbreviation: n.d. =Not Detected (< Reporting Limit)  
 RL =Reporting Limit  
 % =Percentage

## Remark:

(\*1) The reporting limit for each individual SVHC subject to authorisation according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No 2017/999 (Annex XIV of EC No 1907/2006):

	Substance	CAS No.	Reporting Limit
1	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	0.01%
2	Benzyl butyl phthalate (BBP)	85-68-7	0.01%
3	Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	0.01%
4	Dibutyl phthalate (DBP)	84-74-2	0.01%
5	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4 / 3194-55-6 / 134237-50-6 / 134237-51-7 / 134237-52-8	0.01%
6	5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene)	81-15-2	0.01%
7	2,4-Dinitrotoluene (2,4-DNT)	121-14-2	0.01%
8	Diisobutyl phthalate (DIBP)	84-69-5	0.01%
9	Tris(2-chloroethyl)phosphate	115-96-8	0.01%
10	Diarsenic pentaoxide (*3)	1303-28-2	0.01%
11	Diarsenic trioxide (*3)	1327-53-3	0.01%
12	Lead chromate (*3)(*4)	7758-97-6	0.01%
13	Lead chromate molybdate sulphate red (C.I. Pigment Red 104) (*3)(*4)	12656-85-8	0.01%
14	Lead sulfochromate yellow (C.I. Pigment Yellow 34) (*3)	1344-37-2	0.01%
15	Trichloroethylene	79-01-6	0.01%
16	Chromium trioxide (*4)	1333-82-0	0.01%
17	Acids generated from chromium trioxide and their oligomers: Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. (*4)	7738-94-5 / 13530-68-2	0.01%

**Test Report No.: 0180107257b 001**

Page 7 of 14

18	Sodium dichromate (*3)	7789-12-0 / 10588-01-9	0.01%
19	Potassium dichromate (*4)	7778-50-9	0.01%
20	Ammonium dichromate (*4)	7789-09-5	0.01%
21	Potassium chromate (*4)	7789-00-6	0.01%
22	Sodium chromate (*4)	7775-11-3	0.01%
23	Formaldehyde, oligomeric reaction products with aniline (technical MDA) (*11)	25214-70-4	0.01%
24	1,2-Dichloroethane	107-06-2	0.01%
25	Bis(2-methoxyethyl) ether	111-96-6	0.01%
26	Arsenic acid (*3)	7778-39-4	0.01%
27	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	0.01%
28	Dichromium tris(chromate) (*4)	24613-89-6	0.01%
29	Strontium chromate (*4)	7789-06-2	0.01%
30	Potassium hydroxyoctaoxidizincatedichromate (*4)	11103-86-9	0.01%
31	Pentazinc chromate octahydroxide (*4)	49663-84-5	0.01%
32	1-bromopropane (n-propyl bromide)	106-94-5	0.01%
33	Diisopentylphthalate	605-50-5	0.01%
34	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	0.01%
35	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	0.01%
36	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.01%
37	Bis(2-methoxyethyl) phthalate	117-82-8	0.01%
38	Dipentyl phthalate (DPP)	131-18-0	0.01%
39	N-pentyl-isopentylphthalate	776297-69-9	0.01%
40	Anthracene oil (*7)	90640-80-5	0.01%
41	Pitch, coal tar, high temperature (*7)	65996-93-2	0.01%
42	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) [covering well-defined substances and UVCB substances, polymers and homologues]	-	0.01%
43	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.01%

(\*2) The reporting limit for each individual SVHC in Candidate List by ECHA:

	Substance	CAS No.	Reporting Limit
44	Anthracene	120-12-7	0.01%
45	Bis(tributyltin) oxide (TBTO) (*3) (*5)	56-35-9	0.01%
46	Triethyl arsenate (*3)	15606-95-8	0.01%
47	Lead hydrogen arsenate (*3)	7784-40-9	0.01%
48	Cobalt dichloride (*3)	7646-79-9	0.01%
49	Acrylamide	79-06-1	0.01%
50	Anthracene oil, anthracene paste, distn. lights (*7)	91995-17-4	0.01%(*8)
51	Anthracene oil, anthracene paste, anthracene fraction (*7)	91995-15-2	
52	Anthracene oil, anthracene-low (*7)	90640-82-7	
53	Anthracene oil, anthracene paste (*7)	90640-81-6	
54	Boric acid (*3) (*6)	10043-35-3 / 11113-50-1	0.01%
55	Disodium tetraborate, anhydrous (*3) (*6)	1303-96-4 / 1330-43-4 / 12179-04-3	0.01%
56	Tetraboron disodium heptaoxide, hydrate (*3) (*6)	12267-73-1	0.01%
57	2-Methoxyethanol	109-86-4	0.01%
58	2-Ethoxyethanol	110-80-5	0.01%
59	Cobalt(II) sulphate (*3)	10124-43-3	0.01%
60	Cobalt(II) dinitrate (*3)	10141-05-6	0.01%
61	Cobalt(II) carbonate (*3)	513-79-1	0.01%
62	Cobalt(II) diacetate (*3)	71-48-7	0.01%
63	Alkanes C10-C13, chloro (Short Chain Chlorinated Paraffins) (SCCP)	85535-84-8	0.01%
64	2-Ethoxyethyl acetate	111-15-9	0.01%
65	Hydrazine	302-01-2 / 7803-57-8	0.01%
66	1-Methyl-2-pyrrolidone (NMP)	872-50-4	0.01%
67	1,2,3-Trichloropropane	96-18-4	0.01%
68	Aluminosilicate Refractory Ceramic Fibres (RCF) (*9)	-	0.01%
69	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) (*9)	-	0.01%
70	2-Methoxyaniline,o-Anisidine	90-04-0	0.01%
71	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.01%
72	Calcium arsenate (*3)	7778-44-1	0.01%
73	Trilead diarsenate (*3)	3687-31-8	0.01%
74	N,N-dimethylacetamide (DMAC)	127-19-5	0.01%
75	Phenolphthalein	77-09-8	0.01%
76	Lead dipicrate (*3)	6477-64-1	0.01%
77	Lead diazide, Lead azide (*3)	13424-46-9	0.01%
78	Lead styphnate (*3)	15245-44-0	0.01%
79	1,2-bis(2-methoxyethoxy)ethane (TEGDME,triglyme)	112-49-2	0.01%
80	1,2-dimethoxyethane,ethylene glycol dimethyl ether (EGDME)	110-71-4	0.01%
81	Diboron trioxide (*3) (*6)	1303-86-2	0.01%



**Test Report No.: 0180107257b 001**

Page 9 of 14

82	Formamide	75-12-7	0.01%
83	Lead(II) bis(methanesulfonate) (*3)	17570-76-2	0.01%
84	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	0.01%
85	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6	
86	4,4'-bis(dimethylamino)benzophenone (Michler's ketone), MK	90-94-8	0.01%
87	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base), RMK	101-61-1	0.01%
88	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	2580-56-5	0.01%
89	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	548-62-9	
90	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	561-41-1	
91	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	6786-83-0	
92	Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)	1163-19-5	0.01%
93	Pentacosafuorotridecanoic acid	72629-94-8	0.01%
94	Tricosafuorododecanoic acid	307-55-1	0.01%
95	Henicosafuoroundecanoic acid	2058-94-8	0.01%
96	Heptacosafuorotetradecanoic acid	376-06-7	0.01%
97	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) (*12)	123-77-3	0.05%
98	Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	85-42-7 / 13149-00-3 / 14166-21-3	0.01%
99	Hexahydromethylphthalic anhydride (MHHPA) [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0 / 19438-60-9 / 48122-14-1 / 57110-29-9	0.01%
100	N,N-dimethylformamide	68-12-2	0.01%
101	1,2-Diethoxyethane	629-14-1	0.01%
102	Diethyl sulphate	64-67-5	0.01%
103	Methoxyacetic acid (MAA)	625-45-6	0.01%
104	Dimethyl sulphate	77-78-1	0.01%
105	N-methylacetamide	79-16-3	0.01%
106	Furan	110-00-9	0.01%
107	Methyloxirane (Propylene oxide)	75-56-9	0.01%
108	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.01%
109	Dibutyltin dichloride (DBTC) (*3)	683-18-1	0.01%
110	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	0.01%
111	4,4'-methylenedi-o-toluidine	838-88-0	0.01%
112	4,4'-oxydianiline and its salts	101-80-4	0.01%
113	4-Aminoazobenzene	60-09-3	0.01%
114	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	0.01%
115	6-methoxy-m-toluidine (p-cresidine)	120-71-8	0.01%

**Test Report No.: 0180107257b 001**

Page 10 of 14

116	Biphenyl-4-ylamine	92-67-1	0.01%
117	o-aminoazotoluene	97-56-3	0.01%
118	o-Toluidine	95-53-4	0.01%
119	Acetic acid, lead salt, basic (*3)	51404-69-4	0.01%
120	Trilead bis(carbonate) dihydroxide (*3)	1319-46-6	0.01%
121	Lead oxide sulfate (*3)	12036-76-9	0.01%
122	[Phthalato(2-)]dioxotrilead (*3)	69011-06-9	0.01%
123	Dioxobis(stearato)trilead (*3)	12578-12-0	0.01%
124	Fatty acids, C16-18, lead salts (*3)	91031-62-8	0.01%
125	Lead bis(tetrafluoroborate) (*3)	13814-96-5	0.01%
126	Lead cyanamidate (*3)	20837-86-9	0.01%
127	Lead dinitrate (*3)	10099-74-8	0.01%
128	Lead monoxide (lead oxide) (*3)	1317-36-8	0.01%
129	Orange lead (lead tetroxide) (*3)	1314-41-6	0.01%
130	Lead titanium trioxide (*3)	12060-00-3	0.01%
131	Lead titanium zirconium oxide (*3)	12626-81-2	0.01%
132	Pyrochlore, antimony lead yellow (*3)	8012-00-8	0.01%
133	Pentalead tetraoxide sulphate (*3)	12065-90-6	0.01%
134	Silicic acid (H <sub>2</sub> Si <sub>2</sub> O <sub>5</sub> ), barium salt (1:1), lead-doped <i>[with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD), the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] (*3)</i>	68784-75-8	0.01%
135	Silicic acid, lead salt (*3)	11120-22-2	0.01%
136	Sulfurous acid, lead salt, dibasic (*3)	62229-08-7	0.01%
137	Tetraethyllead (*3)	78-00-2	0.01%
138	Tetralead trioxide sulphate (*3)	12202-17-4	0.01%
139	Trilead dioxide phosphonate (*3)	12141-20-7	0.01%
140	Ammonium pentadecafluorooctanoate (APFO) (*13)	3825-26-1	0.01%
141	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.01%
142	Cadmium (*3)	7440-43-9	0.01%
143	Cadmium oxide (*3)	1306-19-0	0.01%
144	4-Nonylphenol, branched and linear, ethoxylated (NPEO) <i>[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]</i>	-	0.01%
145	Dihexyl phthalate	84-75-3	0.01%
146	Trixylyl phosphate	25155-23-1	0.01%
147	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.01%
148	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-minonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.01%
149	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.01%
150	Lead di(acetate) (*3)	301-04-2	0.01%
151	Cadmium sulphide (*3)	1306-23-6	0.01%
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.01%
153	Cadmium chloride (*3)	10108-64-2	0.01%
154	Sodium perborate,perboric acid, sodium salt (*3) (*6)	-	0.01%
155	Sodium peroxometaborate (*3) (*6)	7632-04-4	0.01%
156	Cadmium fluoride (*3)	7790-79-6	0.01%
157	Cadmium sulphate (*3)	10124-36-4 / 31119-53-6	0.01%
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.01%
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.01%
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) (*14)	15571-58-1	0.01%

**Test Report No.: 0180107257b 001**

Page 11 of 14

161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) (*15)	-	0.01%
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 / 68648-93-1	0.01%
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	0.01%
164	1,3-propanesultone	1120-71-4	0.01%
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	0.01%
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	0.01%
167	Nitrobenzene	98-95-3	0.01%
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	0.01%
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.01%
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.01%
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7	0.01%
172	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.01%
173	p-(1,1-dimethylpropyl)phenol	80-46-6	0.01%
174	Perfluorohexane-1-sulfonic acid and its salts (PFHxS)	-	0.01%
175	Chrysene	218-01-9	0.01%
176	Benz[a]anthracene	56-55-3	0.01%
177	Cadmium nitrate(*3)	10325-94-7	0.01%
178	Cadmium hydroxide(*3)	21041-95-2	0.01%
179	Cadmium carbonate(*3)	513-78-0	0.01%
180	1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo [12.2.1.1.6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	0.01%
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	0.01%
182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA)	552-30-7	0.01%
183	Dicyclohexyl phthalate (DCHP)	84-61-7	0.01%
184	Terphenyl, hydrogenated	61788-32-7	0.01%
185	Octamethylcyclotetrasiloxane (D4)	556-67-2	0.01%
186	Decamethylcyclopentasiloxane (D5)	541-02-6	0.01%
187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	0.01%
188	Ethylenediamine (EDA)	107-15-3	0.01%
189	Lead	7439-92-1	0.01%
190	Disodium octaborate (*3)	12008-41-2	0.01%
191	Benzo[ghi]perylene	191-24-2	0.01%
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	0.01%
193	Benzo[k]fluoranthene	207-08-9	0.01%
194	Fluoranthene	206-44-0	0.01%
195	Phenanthrene	85-01-8	0.01%
196	Pyrene	129-00-0	0.01%
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan- 2-one	15087-24-8	0.01%

## Remark:

- (\*3) The substances are tested and calculated in terms of its respective elements and to the worst-case scenario. And the elements may come from the compounds other than SVHCs.

- (\*4) The substances are tested and calculated in terms of Cr (VI).
- (\*5) The substance is tested and calculated in terms of Tributyl tin.
- (\*6) The substances are confirmed and tested in terms of borate. Boric acid, Disodium tetraborate, anhydrous, Tetraboron disodium heptaoxide, hydrate and Diboron trioxide, Sodium perborate, perboric acid, sodium salt, Sodium peroxometaborate are detected as sum of boric acid. And the borate may come from the compounds other than SVHCs.
- (\*7) The substances are UVCB (substance of unknown or variable composition, complex reaction products or biological materials), which are identified by its main constituents.
- (\*8) Individual concentrations to the constituent of UVCB with an amount of < 0.01% were not considered by the calculation of the sum.
- (\*9) The test results are based on microscopic and chemical evaluation.
- (\*10) The substances are quantified in terms of Michler's ketone and Michler's base by LC-MS, as Michler's ketone or Michler's base was found exceeds 0.01%.
- (\*11) The content oligomer is determined by Py-GC/MS.
- (\*12) The content of diazene-1,2-dicarboxamide is analyzed in terms of its breakdown product.
- (\*13) The substance is tested in terms of pentadecafluorooctanoate.
- (\*14) The substance is tested and calculated in terms of Dioctyl tin.
- (\*15) The substance is tested and calculated in terms of Monoctyl tin and Dioctyl tin.

Hangzhou Hikvision Digital Technology Co., Ltd. declared that:




The following models and test model JDS-2XM6365G0-IVS are the same serials, all components were made by the same raw material but different in shapes and sizes. Hangzhou Hikvision Digital Technology Co., Ltd. will be responsible for this statement.




DS-2XM63C5G0-IVS, DS-2XM63C5G0-IVSUHK, DS-2XM63C5G0-IVSCKV, DS-2XM63C5G0-IVSUVS, DS-2XM63C5G0-IVSKVO, DS-2XM63C5G0-IVSHUN, DS-2XM63C5G0-IV, DS-2XM63C5G0-IVUHK, DS-2XM63C5G0-IVCKV, DS-2XM63C5G0-IVUVS, DS-2XM63C5G0-IVKVO, DS-2XM63C5G0-IVHUN, DS-2XM63C5G0-IVM, DS-2XM63C5G0-IVMUHK, DS-2XM63C5G0-IVMCKV, DS-2XM63C5G0-IVMUVS, DS-2XM63C5G0-IVMKVO, DS-2XM63C5G0-IVMHUN, DS-2XM63C5G0-IVM/ND, DS-2XM63C5G0-IVM/NDUHK, DS-2XM63C5G0-IVM/NDCKV, DS-2XM63C5G0-IVM/NDUVS, DS-2XM63C5G0-IVM/NDKVO, DS-2XM63C5G0-IVM/NDHUN, DS-2XM6365G0-IVSUHK, DS-2XM6365G0-IVSCKV, DS-2XM6365G0-IVSUVS, DS-2XM6365G0-IVSKVO, DS-2XM6365G0-IVSHUN, DS-2XM6365G0-IV, DS-2XM6365G0-IVUHK, DS-2XM6365G0-IVCKV, DS-2XM6365G0-IVUVS, DS-2XM6365G0-IVKVO, DS-2XM6365G0-IVHUN, DS-2XM6365G0-IVM, DS-2XM6365G0-IVMUHK, DS-2XM6365G0-IVMCKV, DS-2XM6365G0-IVMUVS, DS-2XM6365G0-IVMKVO, DS-2XM6365G0-IVMHUN, DS-2XM6365G0-IVM/ND, DS-2XM6365G0-IVM/NDUHK, DS-2XM6365G0-IVM/NDCKV, DS-2XM6365G0-IVM/NDUVS, DS-2XM6365G0-IVM/NDKVO, DS-2XM6365G0-IVM/NDHUN

Sample Photos:



DS-2XM6365G0-IVS





- END -

# General Terms and Conditions of Business of TÜV Rheinland in Greater China

## 1. Scope

1.1 These General Terms and Conditions of Business of TÜV Rheinland in Greater China is made between the client and one or more member entities of TÜV Rheinland in Greater China as applicable as the case may be ("TÜV Rheinland").

1.2 The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance.

1.3 Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.

## 2. Quotations

Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

## 3. Coming into effect and duration of contracts

3.1 The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested services.

3.2 The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.

3.3 If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a six-week notice prior to the end of the contractual term.

## 4. Scope of services

4.1 The scope of the services shall be decided solely by a unanimous declaration issued by both parties. If no such declaration exists, then the written confirmation of order by TÜV Rheinland shall be decisive.

4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.

4.3 TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.

4.4 On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole and its upstream and/or downstream processes, organisations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TÜV Rheinland shall assume no responsibility for the construction, selection of materials and assembly of installations examined, nor for their use and application in accordance with regulations unless these questions are expressly covered by the contract.

4.5 In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.

## 5. Performance periods/dates

5.1 The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TÜV Rheinland in writing.

5.2 If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.

5.3 Articles 5.1 and 5.2 also apply, even without express approval by the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland.

## 6. The client's obligation to cooperate

6.1 The client shall guarantee that all cooperation required on its part, its agents third parties will be provided in good time and at no cost to TÜV Rheinland.

6.2 Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions.

6.3 The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed, TÜV Rheinland shall be entitled to charge extra fees for such additional expense.

## 7. Invoicing of work

7.1 If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TÜV Rheinland valid at the time of performance.

7.2 Unless otherwise agreed, work shall be invoiced according to the progress of the work.

7.3 If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds €2,500.00 or equivalent value in local currency, TÜV Rheinland may demand payments on account or in instalments.

## 8. Payment terms

8.1 All invoice amounts shall be due for payment without deduction on receipt of the invoice. No discounts shall be granted.

8.2 Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and customer numbers.

8.3 In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term loan interest rate publicly announced by a reputable commercial

bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.

8.4 Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.

8.5 The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.

8.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.

8.7 TÜV Rheinland shall be entitled to demand appropriate advance payments.

8.8 TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees remains under 5% per contractual year, the client shall not have the right to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.

8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland.

## 9. Acceptance

9.1 Any part of the work ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.

9.2 If the client fails to fulfil its acceptance obligation immediately, acceptance shall be deemed to have taken place 4 calendar weeks after completion of the work provided that TÜV Rheinland has specifically made the client aware of the aforementioned deadline upon completion of the work.

## 10. Confidentiality

10.1 For the purpose of these terms and conditions, "confidential information" means all information, documents, images, drawings, know-how, data, samples and project documentation which one party (the "disclosing party") hands over, transfers or otherwise discloses to the other party (the "receiving party"). Confidential information also includes paper copies and electronic copies of such information.

10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information transmitted by e-mail. If confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within five working days of oral disclosure. Where the disclosing party fails to do so within the stipulated period, the receiving party shall not take any confidentiality obligations hereunder towards such information.

10.3 All confidential information which the disclosing party transmits or otherwise discloses to the receiving party during performance of work by TÜV Rheinland:

a) may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party;

b) may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, judicial court, accreditation bodies or third parties that are involved in the performance of the contract;

c) must be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.

10.4 The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in this confidentiality clause.

10.5 Information for which the receiving party can furnish proof that:

a) it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or

b) it was disclosed to the receiving party by a third party entitled to disclose this information; or

c) the receiving party already possessed this information prior to disclosure by the disclosing party; or

d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidentiality clause.

10.6 All confidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and/or (ii) on request by the disclosing party, to destroy all confidential information, including all copies, and confirm the destruction of this confidential information to the disclosing party in writing, at any time if so requested by the disclosing party but at the latest and without special request after termination or expiry of the contract. This does not extend to include reports and certificates prepared for the client solely for the purpose of fulfilling the obligations under the contract, which shall remain with the client. However, TÜV Rheinland is entitled to make file copies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to evidence the correctness of its results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.

10.7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and

shall not disclose this information to any third parties or use it for itself.

## 11. Copyrights

11.1 TÜV Rheinland shall retain all exclusive copyrights in the expert reports, test results, calculations, presentations etc. prepared by TÜV Rheinland.

11.2 The client may only use such expert reports, test results, calculations, presentations etc. prepared within the scope of the contract for the contractually agreed purpose.

11.3 The client may use test reports, test results, expert reports, etc. only complete and unshortened. Any publication or duplication for advertising purposes needs the prior written approval of TÜV Rheinland.

## 12. Liability of TÜV Rheinland

12.1 Irrespective of the legal basis, in the event of a breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract for annually recurring services, the agreed annual fee; (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euro or equivalent amount in local currency; and (iv) in the case of a framework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwithstanding the above, in the event that the total and accumulated liability calculated according to the foregoing provisions exceeds 2.5 Million Euro or equivalent amount in local currency, the total and accumulated liability of TÜV Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency.

12.2 The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by malice, intent or gross negligence on the part of TÜV Rheinland or its vicarious agents. Such limitation shall not apply to damages for a person's death, physical injury or illness.

12.3 In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseeable damages), unless any of the circumstances described in article 12.2 applies.

12.4 TÜV Rheinland shall not be liable for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of its services under the contract, unless such personnel made available is regarded as vicarious agent of TÜV Rheinland. If TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnify TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel's acts.

12.5 The limitation periods for claims for damages shall be based on statutory provisions.

12.6 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the client.

## 13. Partial invalidity, written form, place of jurisdiction and dispute resolution

13.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 13.1.

13.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.

13.3 Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below:

a) if TÜV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of the People's Republic of China.

b) if TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.

c) if TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.

13.4 Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations.

Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:

a) in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled by arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately chosen by the claiming party.

b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association Taipei Branch to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.

c) in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.

The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.