

Title:	How to Upload Custom Sound of Audible Alarm	Version:	v1.0	Date:	04/09/2020
Product:	IP Camera			Page:	1 of 6

Preparation

1. Second generation AcuSense camera(-SL models).
2. Custom audio with .wav format sampling rate as 8 KHz.

How to Upload Custom Sound of Audible Alarm

Title:	How to Upload Custom Sound of Audible Alarm	Version:	v1.0	Date:	04/09/2020
Product:	IP Camera			Page:	2 of 6

1. Website upload

1) Find uploading page on web

Configuration---Event---Basic Event---Audible Alarm Output.

The screenshot shows the 'Audible Alarm Output' configuration page in the HIKVISION web interface. The left sidebar contains navigation options: Local, System, Network, Video/Audio, Image, Event, Basic Event (selected), Smart Event, and Storage. The main content area has tabs for Motion Detection, Video Tampering, Alarm Input, Alarm Output, Exception, Flashing Alarm Light Output, and Audible Alarm Output (selected). Under 'Audible Alarm Output', the 'Sound Type' dropdown is set to 'Warning'. Below it, the 'Warning' dropdown is set to 'Siren' with a 'Test' button. 'Alarm Times' is set to 5, and 'Sound Volume' is a slider set to 80. The 'Arming Schedule' section includes 'Delete' and 'Delete All' buttons and a calendar grid. The calendar grid shows blue bars for all days from Monday to Sunday, indicating the alarm is active 24 hours a day. A 'Save' button is located at the bottom of the configuration area.

2) Select sound type.

This screenshot shows the same configuration page as above, but with the 'Warning' dropdown menu open. The menu options are 'Warning', 'Prompt', and 'Custom'. The 'Warning' option is highlighted in blue. The 'Test' button is visible to the right of the dropdown. The 'Arming Schedule' section shows a calendar grid with blue bars indicating the alarm is active from 00:00 to 14:00 for all days of the week (Monday to Thursday shown).

Title:	How to Upload Custom Sound of Audible Alarm	Version:	v1.0	Date:	04/09/2020
Product:	IP Camera			Page:	3 of 6

3) Import custom audio file.

Click Add, then upload a .wav **mono sound** audio file with the size smaller than **512 KB** and sampling rate as **8 KHz**.

If audio do not meet above requirements, it will prompt Uploading failed.

Sound Type: Custom

Custom: Select File Test Download Add

Alarm Times: 5

Sound Volume: 80

Arming Schedule

Delete Delete All

Upload Custom Audio

* Custom Rec 0001.wav Browse ✓

Upload a .wav mono sound audio file with the size smaller than 512 KB and sampling rate as 8 KHz.

* Audio Name Custom ✓

OK Cancel

4) Test.

Save all settings and click Test, if prompt "Audio is playing...Please wait", that means uploading succeed.

Note X

Audio is playing... Please wait.

Title:	How to Upload Custom Sound of Audible Alarm	Version:	v1.0	Date:	04/09/2020
Product:	IP Camera			Page:	4 of 6

2. Hik-Connect upload

Hik-Connect is expected to support uploading custom sound in June.



Title:	How to Upload Custom Sound of Audible Alarm	Version:	v1.0	Date:	04/09/2020
Product:	IP Camera			Page:	5 of 6

First Choice for Security Professionals
***HIKVISION* Technical Support**