

## How to store captured picture by SDK demo

## Purpose

Store captured picture by SDK demo, which can help you test human face capture cameras, vehicle cameras, etc.

## Steps:

1. Download latest version SDK, install it to PC. And run ClientDemoEn.exe.

共享 マ 刻录 新建文件夹 名称: HCNetSDKCom AudioRender.dll ClientDemoEn DDCompiler_43.dll d3dx9_43.dll Downed outfor inter d device to client demo. o 70911 5.3.1.35 3.3.64 ree(Right Clck 1 1 Device Address 1	修改日期 2017/10/17 19:43 2017/9/29 14:00 2017/9/29 14:17 2017/9/29 14:00 2017/9/29 14:00 2017/12/15 15:00	美型 文件夹 应用程序扩展 应用程序扩展 应用程序扩展	大小 132 KB 12,855 KB 2,467 KB 2,345 KB 0 KB	PTZ [
AudioRender.dll AudioRender.dll ClientDemoEn O D3DCompiler_43.dll d3dx9_43.dll Config Add Device Config Add Device Local Node P Device Address 1	修改日期 2017/10/17 19:43 2017/9/29 14:00 2017/9/29 14:17 2017/9/29 14:00 2017/9/29 14:00 2017/9/29 14:00 2017/12/15 15:00 1	类型 文件夹 应用程序扩展 应用程序扩展 应用程序扩展 16001 ☆/4	大小 132 KB 12,855 KB 2,467 KB 2,345 KB 0 KD	PTZ L
HCNetSDKCom AddioRender.dll  ClientDemoEn D3DCompiler_43.dll d3dx9_43.dll Config Add Device Config Add Device Local Node P Device Address	2017/10/17 19:43 2017/9/29 14:00 2017/9/29 14:17 2017/9/29 14:00 2017/9/29 14:00 2017/9/29 14:00 2017/12/15 15:00	文件夹 应用程序扩展 应用程序扩展 应用程序扩展 ICONI ☆/#	132 KB 12,855 KB 2,467 KB 2,345 KB 0 KD	PTZ L
AudioRender.dll	2017/9/29 14:00 2017/9/29 14:17 2017/9/29 14:00 2017/9/29 14:00 2017/9/29 14:00 2017/12/15 15:00	应用程序扩展 应用程序扩展 应用程序扩展 ICON 文件	132 KB 12,855 KB 2,467 KB 2,345 KB	PTZ L
E ClientDemoEn D3DCompiler_43.dll d3dx9_43.dll device to client demo. o 70911 5.3.1.35 Config Add Device 1. Local Node P Device Address 1	2017/9/29 14:17 2017/9/29 14:00 2017/9/29 14:00 2017/10/15 15:00	应用程序 应用程序扩展 应用程序扩展 ICON + ++++	12,855 KB 2,467 KB 2,345 KB 0 KD	PTZ L
E OBDCompiler_43.dll dd3dx9_43.dll device to client demo. 70911 5.3.1.35 Config Add Device 1 Local Node P Device Address 1	2017/9/29 14:00 2017/9/29 14:00 2017/10/15 15:00 1	应用程序扩展 应用程序扩展 10011 + 44	2,467 KB 2,345 KB 0 KB	PTZ L
Add Device Address	2017/9/29 14:00 2017/12/15 16:00 1	应用程序扩展 150AI ☆/4	2,345 KB	PTZ L
d device to client demo.	T camera	1	Exit	PTZ L
o 70911 5.3.1.35 3.3.64 Tree(Right Click 1 1 Device Address 1	T camera	. Macron	Exit	PTZ Left
o 70911 5.3.1.35 3.3.64 Tree(Right Click I 1 Device Address 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- Martin	Exit	PTZ Left
70911 5.3.1.35 3.3.64 Tee(Right Click I 1 Device Address 1 Device Address 1	77 camera	- Marcon	Exit	PTZ Left
70911         Config         Add Device           13.3.64         Local Node         P           1         Device Address         1	1 1 2T camera 10.5.2.91 2	- Palachan	Exit	PTZ Left
13.3.64     Add Device       1     Local Node       1     Device Address	PT camera			PTZ U
Tree(Right Clck 1	PT camera			PTZ U
1 Device Address	10.5.2.91 2			Left
Device Address 1	2			Left
Port 8	3000 3			Do
	Passworr	d [*******		- 700
Username ja				
				- Foci
Get IP of Device on	DDNS	Get IP		+ Iris
DDNS Address	www.hiddns.com DD	NS Port 80		
Device Serial Number	E0120110526CCRR403594603			PTZ Speed
Device Name/Alias				1 -
(IPserver use device n	ame ,hiDDNS use alias)			
				PTZ Sequen
Get IP of Device or		C Lise Developer Ar	ccount	
				PTZ Pattern
Select Area	Refresh	Login		
	Konosh	Login		Delete
Use Developer Accou	int			Tra
AppKey	AppSecret	Confirm	n	PTZ Park a
Name	Serial Domain IP Ad	ddress Port		Enable m
				Tvpe
				Brightness -
				Contrast
Proxy server no use p	roxy 💌 Add	Cancel Activa	ate	Saturation
Play			e Realtime	Hue -
Time State Operation		Device Info	Error Info	Local Log
18-01-02 13:38:33 FAIL Get Area List	:		err[0:No er	E Clean

3. Choose the camera and go to *Others*  $\rightarrow$  *Guard/Unguard*.



🛃 ClientDemo		
Version Info build 20170911 HCNetSDK V5.3.1.35 PlayCtrl V7.3.3.64	Config Preview Playback Management Others 2 Product Related Exit	
Device Tree(Right Click ( Device Tree(Right Click ( Camera 1 Camera 1 Camera 2 Camera 2	Image: Second	PTZ Up Left Right Down - Zoom + - Focus + + Iris - PTZ Speed 1 ↓ PTZ Sequence 1 ↓ Call Setup De PTZ Call Setup De PTZ Partern D 1 ↓ Start Stop PTZ Park action FTZ Park action FEnable manual Track Tvoe ↓
	Stop         Record         Snapshot         Create I Frame         Window         4	Contrast
	Time         State         Operation         Device Info         Error Info            18-01-02 13:42:22         SUCC         NET_DVR_RigisterDrawFun         [10.5.2.91]-[PT camera]            18-01-02 13:42:22         SUCC         NET_DVR_RealPlay_V40 Camera1 stream[0] pro[0]         [10.5.2.91]-[PT camera]	Local Log C Alarm Info     Clean Save

4. The demo will pop up a window. Choose the camera name and click *Guard/Unguard*.



5. Then demo will store all the captured picture to the PC. The local path can be set at *Config*  $\rightarrow$  *Local Setup*.



ClientDemo		
Version Info build 20170911 HCNetSDK V5.3.1.35 PlayCtrl V7.3.3.64	Config Preview Playback Management Others Product Related Exit	
Opevice Tree(Right Click I     Opevice Tree(Right Click I	Local Pikyback Mode Not Decode V Preview Block Reconnect Throw B Frame Mardware decode Video Standard PikL v sok connect timeout SDRLog TMFO Video Standard PikL v sok connect timeout SDRLog TMFO Cycle SDK Loo Num 0 criteddogt Browse Heart Check Time 120 s DVR: Exception Times 1 Security Level	Remote Setup
	Record Auto Schedule Satur     Last Storage HDD C:1     Lost Storage HDD C:1     Last Storage HD C:1     Last	Device Manageme
	Save Log     C1:SaveRemoteCfgFile     Browse     Airm     0     ns     Get     Timeout     0       Time Correction     Auro     Port Pool     Marm     0     Marm     0     Marm     0       Tume Correction     Port Pool     UDP Min     0     Interva     0       TCP Min     0     UDP Max     0     Interva     0	Batch Config HDD Managemen
	Alarm Center           Ip address         10.5.2.110         Refresh         Bind IP         Port         7200         Start Listen         Stop Listen           Sort         Bufflum         Set         Get         Proxy IP         Proxy Port         Set         Confirm	Ext
	Time         State         Operation         Device Info         Error Info         < > u           130/102/13-9013         Fall         NET DVB GET MEML OLITERIT MODE         [10.5.2.91]-Bit cameral         erf230ext	cal Log C Alarm

6. Go to the local path and find all the pictures.







First Choice for Security Professionals HIKVISION Technical Support