

IPC V5.7.20 Release Note (2022-08-12)

| | |
|---|---------------------------------------|
| Firmware Basic Information | Firmware Version: V5.7.20 build220802 |
|---|---------------------------------------|

1. New Features

N/A

2. Improved Features

- Fixed the issue that PIR alarm triggers slowly.
- Fixed the issue that Hik-Connect app cannot receive the notification of line crossing and intrusion detection event.
- Fixed the abnormal drop in battery power when the DIP switch is OFF.

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action.

For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou 310051,
China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635
Email: overseabusiness@hikvision.com

| Supported Product List | |
|------------------------------------|--|
| Product Category | Model Number |
| DS-2XS6A25G0-I/CH20S40 | DS-2XS6A25G0-I/CH20S40(2.8mm)(O-STD)(Unpackaged) |
| DS-2XS6A25G0-I/CH20S40 | DS-2XS6A25G0-I/CH20S40(4mm)(O-STD)(Unpackaged) |
| DS-2XS6A25G0-I/CH20S40 | DS-2XS6A25G0-I/CH20S40(8mm)(O-STD)(Unpackaged) |
| DS-2XS6A25G0-I/CH20S40 | DS-2XS6A25G0-I/CH20S40(2.8mm)(O-NEU)(Unpackaged) |
| DS-2XS6A25G0-I/CH20S40 | DS-2XS6A25G0-I/CH20S40(4mm)(O-NEU)(Unpackaged) |
| DS-2XS6A25G0-I/CH20S40 | DS-2XS6A25G0-I/CH20S40(8mm)(O-NEU)(Unpackaged) |
| DS-2XS6A25G0-I/CH20S40(No battery) | DS-2XS6A25G0-I/CH20S40(2.8mm)(O-STD)(No battery) |
| DS-2XS6A25G0-I/CH20S40(No battery) | DS-2XS6A25G0-I/CH20S40(4mm)(O-STD)(No battery) |
| DS-2XS6A25G0-I/CH20S40(No battery) | DS-2XS6A25G0-I/CH20S40(8mm)(O-STD)(No battery) |
| DS-2XS6A25G0-I/CH20S40(No battery) | DS-2XS6A25G0-I/CH20S40(2.8mm)(O-NEU)(No battery) |
| DS-2XS6A25G0-I/CH20S40(No battery) | DS-2XS6A25G0-I/CH20S40(4mm)(O-NEU)(No battery) |
| DS-2XS6A25G0-I/CH20S40(No battery) | DS-2XS6A25G0-I/CH20S40(8mm)(O-NEU)(No battery) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(Unpackaged) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged)US |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)UnpackagedUS |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged)JP |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)UnpackagedJP |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged)LA |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)UnpackagedLA |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD) |

| | |
|-----------------------------------|---|
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(US) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(US) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(JP) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(JP) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(LA) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(LA) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(US) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(US) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(JP) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(JP) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(LA) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(LA) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(Unpackaged) |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)US |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)UnpackagedUS |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)JP |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)UnpackagedJP |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)LA |
| DS-2XS6A87G1-L/C32S80(No battery) | DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)UnpackagedLA |