H7 Network PTZ Dome Camera Firmware Version: V5.5.27 Release Note

(2020-06-09)

1. Firmware Version Information

1.1 Firmware Basic Information

PTZ:

IPD_H7_EN_XXX_5.5.27_200429.zip

2. Related Resource Versions

2.1 Built-in Resource Versions

(1) SDK version: HCNetSDKV6.1.3.30_build20191217

(2) Play lib (PlayCtrl.dll): V7.3.8.44

(3) iVMS 4200 client: V3.1.4.1 Build20200108

(4) Plugin: V4.0.1 build 200108

2.2 Protocol Versions

(1) Onvif version: 1806SR

(2) ISAPI version: 2.4

(3) Ehome version: V2.0, V4.0, ISUPV5.0

(5) Hik-Connect version: V1.7

2.3 Third-party Platform Software Versions

- (1) Milestone software version (Milestone Enterprise 8.1a(2016 R2 10.2a)), Milestone driver version (Device Pack 9.6)
 - (2) Milestone software version (Milestone Corporate 2017 R3 11.3a), Milestone driver


version (Device Pack 9.6)

- (3) Exacqvision software
- (4) Avigilon Control Center
- (5) digifort
- (6) Hik Central version: V1.4.0.6

3. Version Main Updates(Compared with V5.5.26)

3.1 New Features


Newly support Recording Expiration in Recording Schedule. Records that
 exceed the Expired Time need to be deleted, and deleted videos cannot be
 recovered.




[The rules]

- 1. The Recording Expiration is disabled by default.
- 2. The expired time is in days, ranges from the 1 to 90 and the default is 7 days.

 Note: The actual storage days of the recordings is related to the bitrate and the percentage of the record in memory card.
- 3. After enable this function, a prompt message will pop up: If Recording Expiration is enabled, the deleted recordings cannot be restored.



Newly support Recording Encrypted Format function. After clicking, you
 can set password and confirm password in the pop-up interface and then click
 OK to take effect.




[The rules]

- 1. Add 3 status: Unencrypted, Encrypted and Failed Verfication.
- 2. Encryption password cannot be found if forgotten.
- 3. Support to encrypt all types of SD cards.
- 4. When the Hikvison Black Card is locked, click the Encrypted Format and Format button, it will prompt "Please unlock the memory card first".
- 5. The encrypted password allows 6 to 64 characters, including numbers and


letters.

- 6. No restrictions on user rights.
- 7. When the user click on the original Format button, the SD card is formatted as an unencrypted card.



- Alarm information supports encrypted transmission.
- Newly support Domain Name Setting function. If Dynamic Domain Name is required, check the checkbox to enable the function and input the preferred domain name.

Note: DHCP is required for the dynamic domain name to take effect.



3.2 Improved Features

Optimize the trigger mechanism of tracking and park action. When the

pack action and smart-tracking are enabled at the same time and the park time

is reached, if smart-tracking has been triggered at this time, the park action

will not be executed until the end of tracking. If smart-tracking is not triggered

at this time, park action will be performed.

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect

automatically after the Date of Change. We are very sorry for any inconvenience of

use-habit changes caused by this action.

For any questions and request for this firmware, please contact our local technical

support team.

Remarks:

Hikvision reserves the right to change, alter or withdraw the above notification without prior

notice.

Product design and specifications are subject to change without prior notice.

The Hikvision firmware may contain errors known as errata which may cause the product to

deviate from published specifications. Current characterized errata are available on request.

Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.

No. 555 Qianmo Road, Binjiang District, Hangzhou 310051, China

Tel: +86-571-8807-5998

FAX: +86-571-8993-5635

Email: overseabusiness@hikvision.com

Supported Product List (DFxxxxX(T3) Series)

Product Category	Model Number
PTZ Dome Camera	DS-2DF5225X-AE3(T3)
PTZ Dome Camera	DS-2DF5225X-AEL(T3)
PTZ Dome Camera	DS-2DF5232X-AE3(T3)
PTZ Dome Camera	DS-2DF5232X-AEL(T3)
PTZ Dome Camera	DS-2DF6225X-AEL(T3)
PTZ Dome Camera	DS-2DF6225X-AELY(T3)
PTZ Dome Camera	DS-2DF6A225X-AEL(T3)
PTZ Dome Camera	DS-2DF6A236X-AEL(T3)
PTZ Dome Camera	DS-2DF6A236X-AELY(T3)
PTZ Dome Camera	DS-2DF6A425X-AEL(T3)
PTZ Dome Camera	DS-2DF6A436X-AEL(T3)
PTZ Dome Camera	DS-2DF6A436X-AELY(T3)
PTZ Dome Camera	DS-2DF7225IX-AEL(T3)
PTZ Dome Camera	DS-2DF7225IX-AELW(T3)
PTZ Dome Camera	DS-2DF7232IX-AEL(T3)
PTZ Dome Camera	DS-2DF7232IX-AELW(T3)
PTZ Dome Camera	DS-2DF8225IX-AEL(T3)
PTZ Dome Camera	DS-2DF8225IX-AELW(T3)
PTZ Dome Camera	DS-2DF8236IX-AEL(T3)
PTZ Dome Camera	DS-2DF8236IX-AELW(T3)
PTZ Dome Camera	DS-2DF8242IX-AEL(T3)
PTZ Dome Camera	DS-2DF8242IX-AELW(T3)
PTZ Dome Camera	DS-2DF8242IX-AELY(T3)
PTZ Dome Camera	DS-2DF8242IX-AELWY(T3)
PTZ Dome Camera	DS-2DF8242I5X-AELW(T3)
PTZ Dome Camera	DS-2DF8250I5X-AEL(DJ)(T3)
PTZ Dome Camera	DS-2DF8250I5X-AELW(DJ)(T3)
PTZ Dome Camera	DS-2DF8250I8X-AEL(T3)
PTZ Dome Camera	DS-2DF8250I8X-AELW(T3)
PTZ Dome Camera	DS-2DF8425IX-AEL(T3)
PTZ Dome Camera	DS-2DF8425IX-AELW(T3)
PTZ Dome Camera	DS-2DF8436IX-AEL(T3)
PTZ Dome Camera	DS-2DF8436IX-AELW(T3)

PTZ Dome Camera	DS-2DF8436IX-AELY(T3)
PTZ Dome Camera	DS-2DF8436I5X-AELW(T3)
PTZ Dome Camera	DS-2DF8A242IX-AEL(T3)
PTZ Dome Camera	DS-2DF8A242IX-AELY(T3)
PTZ Dome Camera	DS-2DF8A248IX-AEL(T3)