

PTZ/Network Camera Firmware Version: V5.7.3

Release Note

(2022-01-25)

Firmware Basic Information	Firmware Version:	IPDE_L_H8_EN_STD_5.7.3_211229 IPDE_L_H8_EN_NEU_5.7.3_211229
---	-------------------	--

Camera Features

1. New Features

N/A

2. Improved Features

- TLS1.1 is OFF by default
- Max resolution of face capture picture is 1920*1080P

3. Leftover Issues

N/A

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action. For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou
310051, China
Tel: +86-571-8807-5998

Supported Product List	
Product Category	Model Number
DE Series	DS-2DE4215IW-DE (T5)
DE Series	DS-2DE4225IW-DE (T5)
DE Series	DS-2DE4415IW-DE (T5)
DE Series	DS-2DE4425IW-DE (T5)
DE Series	DS-2DE5225W-AE (3) (T5)
DE Series	DS-2DE5232W-AE (3) (T5)



First Choice for Security Professionals

DE Series	DS-2DE5425IW-AE (T5)
DE Series	DS-2DE7A225IW-AEB (T5)
DE Series	DS-2DE7A232IW-AEB (T5)
DE Series	DS-2DE7A425IW-AEB (T5)
DE Series	DS-2DE7A825IW-AEB (T5)

Note: Models in red font are newly released models.