

DeepinMind NVR V4.1.19 Build180723 Release Notes (2018-7-27)


Firmware Basic Information	Firmware Version:	V4.1.19Build180723
	SDK Version:	V5.3.6.10
	Algorithm version	FR: V4.0.3
		HMS: V3.4.1
		Face capture algorithm
		library: V1.1.3
	TX1 version	FR: V1.3.5 Build180606
		HMS: V1.3.0 Build180707
	Play Library (PlayCtrl.dll)	7.3.3.65
	Web version	V4.0.1 build 180709
	Client version	V2.6.10.8_Build20180709

Reason of Upgrade

Add and modify some functions to enhance products quality and meet customers' requirements.


Main Features

- i. Newly supports upload the alarms by ISAPI protocol.
- **ii.** SMD Newly support region entrance and region exit. Among intrusion, line crossing, region entrance and region exit, only two of them can be enabled in the same channel.






iii. The rule of the SMD can support up to decagon and concave-convex shape.



iv. Newly supports transparent transmission for alarms from IPC.

Modified Functions

i. Face check-in exported from local GUI newly support showing the earliest and latest time.





Related product list:

DeepinMind NVR	iDS-6704NXI-I/4F
	iDS-6716NXI-I/16S
	iDS-7700NXI-I4(/16P)/8S
	iDS-9600NXI-18/4F
	iDS-9600NXI-I8/16S
	iDS-96000NXI-I16
	iDS-96000NXI-I24

Customer Impact and Recommended Action

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

For questions or concerns, please contact our local technical support team.

Note:

- Hikvision has all rights to alter, modify and cancel this notice.
- Hikvision doesn't give any guarantee for old models' stock.
- Hikvision is not liable for any typing or printing errors.
- For special model's change details, please contact our local technical support team.

Hikvision Digital Technology CO., Ltd.

No. 555 Qianmo Road, Binjiang District, Hangzhou 310052, China

Tel: +86-571-8807-5998 FAX: +86-571-8993-5635 Email: support@hikvision.com