



EUROPEAN TECHNICAL CENTER

FIRMWARE RELEASE NOTE

DS-K2210 Distributed Elevator Controller Release Notes


Supported Models DS-K2210	Firmware Version	1.0.1 Build 180315
	iVMS4200 Version	V2.7.1.9 build20180604

Reason of Upgrade

Added or modified functions, enhance products quality and meet customers' requirements

New Features

1. Support remote device event search function on access control event page in iVMS4200.
2. Support connecting DS-K1201 fingerprint card reader.
3. Support getting arming client software IP address in device status page of iVMS4200.



4. Cards effective time period can be set to seconds.
5. Support audible alarm on IP conflict detection.
6. Support domain name for NTP server.

Modified Features

1. If connected to video intercom door station via RS485 or IP address, the relay time will be automatically optimized:

- Auto/Call elevator mode, relay time is fixed to 1s.
- Button mode relay time can be set as () mins.

Customer Impact and Recommended Action

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you for the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

For questions or concerns, please contact our local technical support team.



Note:

Hikvision has all rights to alter, modify and cancel this notice.

Hikvision doesn't give any guarantee for old models' stock.

Hikvision is not liable for any typing or printing errors.

For special model's change details, please contact our local technical support team.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou
310052, China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635