



EUROPEAN TECHNICAL CENTER

FIRMWARE RELEASE NOTE

K1T605 Series Face Recognition Terminal Release Notes (2018-08-15)

DS-K1T605E DS-K1T605EF DS-K1T605M DS-K1T605MF DS-K1T605MF-B	Firmware Version	ARM: ACS_SP_EN_GM_V1.1.0_build180815 MCU: ACS_MCU-TRIANGLE_GML_GM_V1.0.0_build180612
	SDK Version	HCNetSDKV5.3.5.15_build20180119
	4200 Version	V2.6.8.3_build20180327
	Ehome Version	EhomeSDK_V1.2.1.5_build20171101

Note: Upgrade both MCU and ARM firmware together to achieve full upgrade.

Reason of Upgrade

Add or modify functions, fix bugs, enhance products quality and meet customers' requirements.

Modified Features

1. Improved face recognition and live face detection algorithm.
2. After activation you can select Indoor and Outdoor mode for better device application.
3. Deleted "Password & Face authentication mode.
4. If auto supplement light function is enabled, supplement light will turn on when the device detects someone in front of it and will turn off when idle for more than 2 minutes.

Customer Impact and Recommended Action

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you for the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

For questions or concerns, please contact our local technical support team.



Note:

Hikvision has all rights to alter, modify and cancel this notice.

Hikvision doesn't give any guarantee for old models' stock.

Hikvision is not liable for any typing or printing errors.

For special model's change details, please contact our local technical support team.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou
310052, China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635