



EUROPEAN TECHNICAL CENTER

FIRMWARE RELEASE NOTE

K1T606 Series Face Recognition Terminal Release Notes (2018-09-01)

Supported Model	Firmware Version	ARM: ACS_606_EN_GM_V1.1.0_build180901 MCU: ACS_MCU_TRIANGLE_GML_GM_V1.0.0_build180621
DS-K1T606M DS-K1T606MF	4200 Version	V2.6.8.10 build20180522v

Note: Upgrade both MCU and ARM firmware together to achieve full upgrade.

Reason of Upgrade

Add or modify functions, fix bugs, enhance products quality and meet customers' requirements.

Modified Features

1. UI Font changed to "Arial".
2. Optimization of IR camera and supplement light. The IR light in newly produced devices is visible to the human eye.



3. Optimization of liveness detection algorithm with increased security against spoofing (printed photo etc.).
4. Enhanced experience by improved switching speed of the interactive interface.

Customer Impact and Recommended Action

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you for the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

For questions or concerns, please contact our local technical support team.



Note:

Hikvision has all rights to alter, modify and cancel this notice.

Hikvision doesn't give any guarantee for old models' stock.

Hikvision is not liable for any typing or printing errors.

For special model's change details, please contact our local technical support team.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou
310052, China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635