





The following sample(s) was/were submitted and identified on behalf of the client as:

TEST REPORT	
Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)	
Report Reference No.	GZES200201132502
Tested by (name + signature)	Chico Li 
Approved by (+ signature)	Anlay Dong 
Date of issue	2020-03-13 Amendment-1: 2020-11-30
Total number of pages	9
Testing Laboratory	SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch
Address	198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China
Applicant's name	Hangzhou Hikvision Digital Technology Co., Ltd.
Address	No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China
Test specification:	
Test procedure	Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)
Non-standard test method	None
Test Report Form No.	EN50155_D
Test Report Form(s) Originator	SGS-CSTC
Master TRF	2018-2-28



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, Inspection & Testing Services, EEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TRF No. EN50155_D

Test item description.....:	Network Camera
Model/Type reference	DS-2XM6522G0-I/ND, DS-2XM6512G0-I/ND, DS-2XM6512G0-I/NDUHK, DS-2XM6512G0-I/NDCKV, DS-2XM6512G0-I/NDUVS, DS-2XM6512G0-I/NDKVO, DS-2XM6512G0-I/NDHUN, DS-2XM6512G0-IM/ND, DS-2XM6512G0-IM/NDUHK, DS-2XM6512G0-IM/NDCKV, DS-2XM6512G0-IM/NDUVS, DS-2XM6512G0-IM/NDKVO, DS-2XM6512G0-IM/NDHUN, DS-2XM6522G0-I/NDUHK, DS-2XM6522G0-I/NDCKV, DS-2XM6522G0-I/NDUVS, DS-2XM6522G0-I/NDKVO, DS-2XM6522G0-I/NDHUN, DS-2XM6522G0-IM/ND, DS-2XM6522G0-IM/NDUHK, DS-2XM6522G0-IM/NDCKV, DS-2XM6522G0-IM/NDUVS, DS-2XM6522G0-IM/NDKVO, DS-2XM6522G0-IM/NDHUN,



SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou branch of SGS-CSI EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Ratings: PoE (36 Vd.c. – 57 Vd.c.); 0,25 A – 0,15 A; 8,8 W

Brand name: HIKVISION

Manufacturer.....: Same as applicant

Factory: Hangzhou Hikvision Technology Co., Ltd.
 No.700, Dongliu Road, Binjiang District, Hangzhou Ctiy, Zhejiang, 310052, China

Hangzhou Hikvision Electronics Co., Ltd.
 No.299, Qiushi Road, Tonglu Economic Development Zone, Tonglu County, Hangzhou, Zhejiang, 310052, China

Chongqing Hikvision technology Co., Ltd.
 No. 118, Haikang Road, Area C, Jianqiao Industrial Park, Dadukou District, Chongqing, 401325, China

Summary of testing:

The sample(s) in this report has considered and complied below mandatory tests and requirements according to Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017). Model DS-2XM6522G0-I/ND was selected for test as representative. After reviewed, tests of clause 13.4.4 and 13.4.5 are needed to be considered in this report.

Tests performed:

Selected verdict	Sub-clause	Test name	Reference test method standard
<input checked="" type="checkbox"/>	13.4.4	Low temperature start-up test,	EN 60068-2-1:2007 (test Ad)
<input checked="" type="checkbox"/>	13.4.5	Dry heat test	EN 60068-2-2: 2007 (test Be)

Test location:

Name: SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch
 Address:198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China

The test item with * markings are optional test subject to contract agreement between the user and the manufacturer, and the items without marking are mandatory tests according to standard.

The report does not contain 13.4.8 EMC test.

Copy of marking plate

Refer to previous test report



SGS-CSTC Standards Technical Services Co., Ltd.
 Guangzhou branch, EEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Possible test case verdicts:	
- test case does not apply to the test object	N (or N/A)
- test object does meet the requirement	P (Pass)
- test object does not meet the requirement	F (Fail)
Testing	
Date of receipt of test item	2020-11-13
Date (s) of performance of tests	2020-11-23 to 2020-11-24
General remarks:	
<p>The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory. "(see Enclosure #)" refers to additional information appended to the report. "(see appended table)" refers to a table appended to the report.</p> <p>Throughout this report a comma is used as the decimal separator.</p>	



SGS-CSI Standards Technical Services Co., Ltd.
 Guangzhou branch of SGS-CSI EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

General product information:

Function:	Network Camera main function is collecting real-time video signals, Power by stabilized PoE then through Signal terminal transmission to PC online surveillance
Power Source:	Stabilized Power over Ethernet
Installation:	Used on rolling stock inside railway vehicles, body mounted
Construction:	Metal enclosure fixed by screws
Accessories:	No
Altitude	<input checked="" type="checkbox"/> A1 (default requirement) ; <input type="checkbox"/> A2 <input type="checkbox"/> A3 <input type="checkbox"/> AX
Operation temperature:	<input type="checkbox"/> OT1 <input type="checkbox"/> OT2 <input checked="" type="checkbox"/> OT3 (default requirement) <input type="checkbox"/> OT4 <input type="checkbox"/> OT4 <input type="checkbox"/> OT5 <input type="checkbox"/> OT6
Switch-on extended operating temperature:	<input type="checkbox"/> ST0 <input type="checkbox"/> ST1 (default requirement), <input checked="" type="checkbox"/> ST2, <input type="checkbox"/> NA
Rapid temperature variation	<input checked="" type="checkbox"/> H1 (default requirement), <input type="checkbox"/> H2 <input type="checkbox"/> N/A
Vibration and shock	<input type="checkbox"/> category 1 Class A <input checked="" type="checkbox"/> category 1 Class B (recommended requirement); <input type="checkbox"/> 2 (Bogie mounted), <input type="checkbox"/> 3 (Axle mounted)
Interruption voltage supply	<input type="checkbox"/> S1 <input checked="" type="checkbox"/> S2 (default requirement), <input type="checkbox"/> S3 <input type="checkbox"/> N/A
Supply change-over	<input checked="" type="checkbox"/> C1 default requirement, <input type="checkbox"/> C2 <input type="checkbox"/> N/A
Documentation	<input type="checkbox"/> class M <input checked="" type="checkbox"/> M0 default requirement,

Model differences:

All models are identical except model name and software version.



SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou branch Inspection & Testing Services EEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Amendment-1:

Test report No. GZES200201132501 dated on 2020-03-13, was modified on 2020-11-30 with following updated and changes:

1. Removed the following models:

DS-2XM6512WD-I/ND, DS-2XM6512WD-I/NDUHK, DS-2XM6512WD-I/NDCKV,
 DS-2XM6512WD-I/NDUVS, DS-2XM6512WD-I/NDKVO, DS-2XM6512WD-I/NDHUN,
 DS-2XM6512WD-IM/ND, DS-2XM6512WD-IM/NDUHK, DS-2XM6512WD-IM/NDCKV,
 DS-2XM6512WD-IM/NDUVS, DS-2XM6512WD-IM/NDKVO, DS-2XM6512WD-IM/NDHUN,
 DS-2XM6522WD-I/ND, DS-2XM6522WD-I/NDUHK, DS-2XM6522WD-I/NDCKV,
 DS-2XM6522WD-I/NDUVS, DS-2XM6522WD-I/NDKVO, DS-2XM6522WD-I/NDHUN,
 DS-2XM6522WD-IM/ND, DS-2XM6522WD-IM/NDUHK, DS-2XM6522WD-IM/NDCKV,
 DS-2XM6522WD-IM/NDUVS, DS-2XM6522WD-IM/NDKVO, DS-2XM6522WD-IM/NDHUN

2. Changed the Operation temperature from OT2 into OT3.

After reviewed, tests of clause 13.4.4 and 13.4.5 are needed to be considered in this report.

Test report No. GZES200201132502 dated on 2020-11-30 is not valid without the previous test report No. GZES200201132501 dated on 2020-03-13.



SGS-CSI Standards Technical Services Co., Ltd.
 Guangzhou branch of SGS-CSI EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)																	
Cl.	Requirement-Test	Result-Remark	Verdict														
13.4.4 Low temperature start-up test																	
	This test is carried out in accordance with EN 60068-2-1, test Ad.		P														
	Equipment is placed, without any voltage applied, in a test chamber.		P														
	Equipment shall be tested according to its operating temperature class, low operating temperature (T_{TEST}) shall be taken from Table 1.	Class OT3 used according to manufacturer: - 25 °C	P														
	<p>Table 1 — Operating temperature classes</p> <table border="1"> <thead> <tr> <th>Class</th> <th>Equipment operating temperature range (°C)</th> </tr> </thead> <tbody> <tr> <td>OT1</td> <td>-25 to +55</td> </tr> <tr> <td>OT2</td> <td>-40 to +55</td> </tr> <tr> <td>OT3</td> <td>-25 to +70</td> </tr> <tr> <td>OT4</td> <td>-40 to +70</td> </tr> <tr> <td>OT5</td> <td>-25 to +85</td> </tr> <tr> <td>OT6</td> <td>-40 to +85</td> </tr> </tbody> </table>	Class	Equipment operating temperature range (°C)	OT1	-25 to +55	OT2	-40 to +55	OT3	-25 to +70	OT4	-40 to +70	OT5	-25 to +85	OT6	-40 to +85		
Class	Equipment operating temperature range (°C)																
OT1	-25 to +55																
OT2	-40 to +55																
OT3	-25 to +70																
OT4	-40 to +70																
OT5	-25 to +85																
OT6	-40 to +85																
	The equipment shall be first conditioned by leaving it, after thermal stabilization of the chamber, for a sufficient period of time in which to achieve thermal stabilization. In any case, this period shall not be less than 2 h.		P														
	At the end of this period the equipment shall be switched on and a performance check is carried out, keeping the equipment at the low temperature. After recovery, this performance check is repeated at normal room temperature. Test acceptance requirements: during and after the test, the equipment shall work as intended and within its specified limits (Performance criterion A)	Performance check was passed under low temperature condition and normal room temperature condition.	P														
13.4.5 Dry heat test																	
	This test is carried out in accordance with EN 60068-2-2, test Be		P														



SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou branch, Inspection & Testing Services, EEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)															
Cl.	Requirement-Test	Result-Remark	Verdict												
	<p>The temperature value for this test is dependent of the temperature class and the switch-on extended operating temperature class of equipment under test (table 1 and table 2)</p> <p style="text-align: center;">Table 2 — Switch-on extended Operating temperature classes</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Class</th> <th>Switch-on extended operating temperature (duration: 10 min)</th> <th>Thermal test cycle See 13.4.5</th> </tr> </thead> <tbody> <tr> <td>ST0</td> <td>No switch-on extended operating temperature</td> <td>Test cycle A</td> </tr> <tr> <td>ST1</td> <td>OTx +15 °C</td> <td>Test cycle B</td> </tr> <tr> <td>ST2</td> <td>OTx +15 °C</td> <td>Test cycle C</td> </tr> </tbody> </table>	Class	Switch-on extended operating temperature (duration: 10 min)	Thermal test cycle See 13.4.5	ST0	No switch-on extended operating temperature	Test cycle A	ST1	OTx +15 °C	Test cycle B	ST2	OTx +15 °C	Test cycle C	<p>Class OT3 and ST2 used according to manufacturer: 70 °C, Test cycle C,</p>	<p>P</p>
Class	Switch-on extended operating temperature (duration: 10 min)	Thermal test cycle See 13.4.5													
ST0	No switch-on extended operating temperature	Test cycle A													
ST1	OTx +15 °C	Test cycle B													
ST2	OTx +15 °C	Test cycle C													
<p>13.4.5.2 - Cycle A</p>	<p>the switched off equipment is placed in a chamber where the temperature is progressively raised to the maximum operating temperature (T_{TEST})</p> <p>Once the temperature has stabilised, In any case, this period shall not be less than 2 h, then the equipment is switched on and left for a time period of 6 h with continuous operational check carried out at max. operating temperature T_{TEST}</p> <p>The equipment is then allowed to cool to ambient temperature and a further performance test is carried out after the stabilization time.</p> <p>Test acceptance requirements: during and after the test, the equipment shall work as intended and within its specified limits (Performance criterion A)</p>	<p>Class ST2</p>	<p>N/A</p>												



SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou branch, IEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Railway applications – Electronic equipment used on rolling stock (EN: 50155:2017)			
Cl.	Requirement-Test	Result-Remark	Verdict
13.4.5.3- Cycle B	<p>the switched off equipment is placed in a chamber where the temperature is progressively raised to the maximum operating temperature (T_{TEST})</p> <p>Once the temperature has stabilised, In any case, this period shall not be less than 2 h, then the equipment is switched on and left for a time period of 6 h with continuous operational check carried out at max. operating temperature (T_{TEST}).</p> <p>once this test is complete, a continuous operation check is carried out with the 10 min over-temperature value.</p> <p>The equipment is then allowed to cool to ambient temperature and a further performance test is carried out after the stabilization time.</p> <p>Test acceptance requirements: during and after the test, the equipment shall work as intended and within its specified limits (Performance criterion A)</p>	Class ST2	N/A
13.4.5.4- cycle C	<p>The switched off equipment is placed in a chamber where the temperature is progressively raised to the extended operating temperature ($T_{TEST}+15^{\circ}C$) according to the selected temperature class.</p> <p>Once the temperature has stabilised, In any case, this period shall not be less than 2 h, then the equipment is switched on and continuous operation check are carried out at this extended operating temperature value for 10 min.</p> <p>Equipment is then allowed to cool to the max. operating temperature (T_{TEST}) and continuous operation check last or a time period of 6 h.</p> <p>The equipment is then allowed to cool to ambient temperature and a further performance test is carried out after the stabilization time.</p> <p>Test acceptance requirements: during and after the test, the equipment shall work as intended and within its specified limits (Performance criterion A)</p>	<p>85 °C, 10 min. and 70 °C, 6 h;</p> <p>Performance check was passed under dry heat condition and normal room temperature condition.</p>	P

- - - End of Report - - -



SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou branch of SGS-CSI EEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)