Nº: 2018-1356



中国认可 检测 TESTING CNAS L0461



TEST

REPORT

Equipment under Test: NETWORK CAMERA

Model Number: DS-2XM6756FWD-I

Manufacturer: Hangzhou Hikvision Digital Technology Co., Ltd.

National Computer Peripheral Equipment Quality
Supervising Test Center

7. 台田 松

National Computer Peripheral Equipment Quality Supervising Test Center

Test Report

No:2018-1356

		Model type	DS-2XM6756FWD-I			
Product	NETWORK CAMERA	Trademark	HIKVISION			
Entrusted By	Hangzhou Hikvision Digi Technology Co., Ltd.	tal Testing Type	Entrustment			
Manufacturer	Hangzhou Hikvision Digit Technology Co., Ltd.	Sample Class				
Sample Origin	Delivered	Delivery Date	2018-05-26			
Sample Number	One set	Delivered by	Fu Meixia			
Sample Radix		Manufacture Date				
Test Standards	IEC 62262: 2002 Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts(IK code)					
Test Items	1#: IK10 hammer test					
Test Result	This test proved that the DS-2XM6756FWD-I NETWORK CAMEI manufactured by Hangzhou Hikvision Digital Technology Co., Ltd. complied w the Test Standard. Issue Date: May 28-2018					
	DS-2XM6756FWD-I	DS-2XM6736FWD-IS	DS-2XM6726FWD-I			
Remark	DS-2XM6726FWD-IS	DS-2XM6726FWD-IM/ND	DS-2XM6756FWD-IM			
	DS-2XM6756FWD-IM/ND	DS-2XM6736FWD-I	DS-2XM6756FWD-IS			
	DS-2XM6736FWD-IM	DS-2XM6726FWD-IM	DS-2XM6736FWD-IM/ND			
	DS-2XM67XYZUV-ABCDEF					
	Above models use the same structure and material, the IK level exactly the same, the only differences is the Internal movement and software configuration.					

Approved by: Approved by: Para Chief tester: 3400

人文本文日 祭

Test Site	Nation	National Computer Peripheral Equipment Quality Supervising Test Center					
Test Date	2018-05-26						
Main Testing Equipments and Instruments	S/N	Description	Model	No.	Cal due		
	1	Falling ball impact test machine	LQ-001	HJ0057	2019-02-09		
				11-			
	·						
				2000			
Sample Number	1#: 182342556						
Distribution Of Sample	1#: IK10	0 hammer test					
Remark	Ambien Relative	c conditions: t temperature: 23.5°C humidity: 55% heric pressure: 102kPa					


Took Manage	Table in Lawrence Work Const.	Result				
Test Items	Technical specifications	1#				
	Impact hammer weight : 5kg(Equivalent to 20J impact energy)					
	Test height: 400mm					
	Number of tests: 3					
IK10 hammer test	Test mode: free fall	Pass				
	Test position: the protective cover for lens					
	After the test, there is no damage on the structure.					
Remark	Test pictures please refer to the following page.					

Tester: Xu Yangkun Wang Jue

EUT picture



Before the test



During the test



After the test



The lens is intact



NOTES

- 1. Reports with no signet of "test report" or that of the inspect institute are all invalid.
- 2. Partial copy of this report is forbidden. Entire copy of the report without signet is invalid.
- 3. Report with no approval are invalid.
- 4. Altered report is invalid.
- 5. If any disagreement on this report, a written claim is requested to be submit to the institute within 15days on receipt of the report.
- 6. Generally, authorized inspection is only responsible for the samples inspected.



Address: 316#, Jiang Hong South Road, Hangzhou, China

Tel: +86 571 88278723 +86 571 88828284

Fax: +86 571 88366821

P.O.Box: 1215#, Hangzhou, China

Zip Code: 310052 E-mail: wangwx@ksign.cn WEB: www.ksign.cn