

No: 2019-1575



中国认可  
国际互认  
检测  
TESTING  
CNAS L0461



180009011000 (2018)国认监认字(182)号

# TEST REPORT

Equipment under Test: NETWORK CAMERA

Model Number: DS-2XM6825G0/C-IVSM

Manufacturer: Hangzhou Hikvision Digital Technology Co., Ltd


**National Computer Peripheral Equipment Quality  
Supervising Test Center**



## National Computer Peripheral Equipment Quality Supervising Test Center

## Test Report

No:2019-1575

Product	NETWORK CAMERA	Model type	DS-2XM6825G0/C-IVSM
		Trademark	HIKVISION
Entrusted By	Hangzhou Hikvision Digital Technology Co., Ltd	Testing Type	Entrustment
Manufacturer	Hangzhou Hikvision Digital Technology Co., Ltd	Sample Class	—
Sample Origin	Delivered	Delivery Date	2019-08-09
Sample Number	One set	Delivered by	Fu Meixia
Sample Radix	—	Manufacture Date	—
Test Standards	IEC 62262: 2002 Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts(IK code)		
Test Items	IK08 hammer test		
Test Result	<p>This test proved that the DS-2XM6825G0/C-IVSM NETWORK CAMERA manufactured by Hangzhou Hikvision Digital Technology Co., Ltd complied with the Test Standard.</p> <p style="text-align: right;">   Issue Date: August 23, 2019 </p>		
Remark	<p>The manufacturer declares that the DS-2XM6825G0/C-IVS, DS-2XM6825G0/C-IVM/ND and the test DS-2XM6825G0/C-IVSM NETWORK CAMERA are of the same shell structure and material, with the same IK level exactly.</p>		

Approved by: Wang Weixiong    Checked by: Liu Canhui    Chief tester: Zhang Fei



Test Site	National Computer Peripheral Equipment Quality Supervising Test Center				
Test Date	2019-08-09				
Main Testing Equipments and Instruments	S/N	Description	Model	No.	Cal due
	1	Falling ball impact test machine	LQ—001	HJ0057	2019-12-19
Sample Number	1#: /				
Distribution Of Sample	1#: IK08 hammer test				
Remark	Climatic conditions: Ambient temperature: 26°C Relative humidity: 52% Atmospheric pressure: 102kPa				

计算  
  
 审核


Test Items	Technical specifications	Result
		1#
IK08 hammer test	<p>Impact hammer weight : 1.7kg(Equivalent to 5J impact energy)</p> <p>Test height: 300mm</p> <p>Number of tests : 3</p> <p>Test mode: free fall</p> <p>Test position: the protective cover for lens</p> <p>After the test, there is no damage on the structure.</p>	Pass
Remark		

Tester: Wang Jue Jin Jiajun

### EUT picture



### Test picture



IK08



After the test



The lens is intact

## NOTES

1. Reports with no signet of “test report” or that of the inspect institute are all invalid.
2. Partial copy of this report is forbidden. Entire copy of the report without signet is invalid.
3. Report with no approval are invalid.
4. Altered report is invalid.
5. If any disagreement on this report, a written claim is requested to be submit to the institute within 15days on receipt of the report.
6. Generally, authorized inspection is only responsible for the samples inspected.

Address: 316#, Jiang Hong South Road, Hangzhou, China  
Tel: +86 571 88366861  
Fax: +86 571 88366821  
P. O. Box: 1215#, Hangzhou, China  
Zip Code: 310052  
E-mail: wangwx@ksign.cn  
WEB: www.ksign.cn

